haibike.com

HAIBIKE

DEALERBOOK | MODELYEAR 2020



ELECMOVE
bicicletas eléctricas · electric bikes

WE ARE ePERFORMANCE

DEALERBOOK 2020

ELECMOVE
bicicletas eléctricas · electric bikes

DEALERBOOK
COLLECTION 2020

THE PREMIER CYCLE GROUP
ACCELL GROUP

Unsere Vision: Marktführerschaft im eBike Segment - durch Wachstum mit Verantwortung für Kunden, Händler und unsere Umwelt.

Unsere Mission: Nichts motiviert uns mehr als begeisterte Kunden und Händler. „GREAT BIKES WIN GREAT LIKES“.

Our vision: Market leadership in the e-bikes sector by growth with responsibility for consumers, dealers and our environment.

Our mission: Nothing motivates us more than satisfied consumers and dealers. „GREAT BIKES WIN GREAT LIKES“.

ELECMOVE
bicicletas eléctricas · electric bikes

FOCUS 2020

WE ARE ePERFORMANCE

Was uns am eBiken so begeistert? Steile Anstiege erklimmen wir mit einem Lächeln im Gesicht. Wenn uns danach ist, können wir uns jederzeit voll auspowern. Trails fahren wir so oft wie wir wollen. Im kniffligen Gelände sind wir agil und dynamisch unterwegs. **Reichweite? Haben wir genug. Herausforderungen? Lieben wir. Grenzen? Verschieben wir.**

Mit dieser Version entwickeln wir seit fast **25 Jahren** Bikes für unterschiedliche Zielgruppen und Bedürfnisse. Hinter unseren eBikes steckt deutsche **Ingenieurspower** gepaart mit **unermüdlichem Erfindergeist**. Von unserem Intube Battery Concept bis hin zu unserem ersten, eigenen eBike Komplettsystem steht **HAIBIKE** für Innovation und Leistung: **We are ePerformance.**

What makes us so enthusiastic about eBiking? We climb steep ascents with a smile on our face. We go at full throttle when we feel like it. We ride trails as often as we want. We are agile and dynamic in tricky terrain. **Range? We have enough. Challenges? We love. Limits? We push.**

With this vision, we have been developing bikes for different target groups and needs for almost **25 years**. Behind our eBikes is German engineering power coupled with tireless inventiveness. From our Intube Battery concept to our first complete eBike system, **HAIBIKE** stands for innovation and performance: **We are ePerformance.**



INDEX

TOP RANGE 2020 ____ 05

XTREME FULL SUSPENSION ____ 07
XDURO NDURO | XDURO DWNHLL
XDURO ALLMTN | XDURO FULLFATSIX

XTREME HARDTAIL ____ 23
XDURO ALLTRAIL | XDURO FATSIX

XTREME TOURING ____ 27
XDURO ADVENTR

SPORT FULL SUSPENSION ____ 31
SDURO FULLSEVEN | SDURO FULLNINE
SDURO FULLSEVEN LIFE

SPORT HARDTAIL ____ 55
SDURO HARDSEVEN | SDURO HARDNINE
SDURO HARDSEVEN LIFE | SDURO HARDFOUR

SPORT TOURING ____ 87
SDURO TREKKING | SDURO CROSS

SPORT TOURING 45KM/H ____ 99
SDURO TREKKING S

SEET HARDTAIL ____ 103
SEET HARDSEVEN | SEET HARDNINE
SEET HARDSEVEN LIFE

SEET HARDTAIL KIDS ____ 123
SEET HARDFOUR | SEET GREEDY

FLYON ____ 134

eCONNECT ____ 140

BOSCH GEN 4 ____ 142

MODULAR RAIL SYSTEM ____ 146

GEOMETRIES ____ 149

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE 2020

Was uns antreibt, ist die tägliche Herausforderung, nicht nur mithalten zu können, sondern immer einen Schritt voraus zu sein.

eBiken als Sport? Wir waren die ersten, die daran geglaubt haben. Die ersten, die sich mit Motor ins Gelände gewagt haben. Die ersten, die nicht nur Up oder Down gefahren sind, sondern beides vereint haben. Die ersten, die ein eigenes eBike Komplettsystem voll-integriert haben.

Mit der Einführung der **FLYON Linie** haben wir eine **neue Generation ePerformance** vorgestellt und das Thema Integration auf ein neues Level gehoben. Neben unseren Power eBikes bieten wir **2020** ein **Line-Up** mit sportlich-modernen eBikes, die Reichweitensorgen hinter sich lassen und so vielfältig wie noch nie eingesetzt werden können.

What drives us is the daily challenge of not only being able to keep up, but always being one step ahead.

eBiking as a sport? We were the first to believe in it. The first to venture off-road with a motor. The first ones who didn't just ride up or down, but both. The first to have fully integrated their own complete eBike system.

With the introduction of the **FLYON range**, we presented a **new generation of ePerformance** and raised integration to a new level. In addition to our Power eBikes, in **2020** we are offering a **line-up** of sporty, modern eBikes that leave range limits behind and can be used in more ways than ever before.

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE

Nduro 10.0

AllMtn 10.0

FullSeven LT 7.0

FullSeven Life LT 7.0

FullNine 7.0

AllMtn 8.0

AllTrail 6.0

Nduro 8.0

Adventr 6.0

HardSeven 6.0

HardSeven 8.0

HardNine 6.0

HardNine 8.0

FullSeven LT 5.0

FullNine 5.0

Trekking 4.0

Trekking 5.0

Trekking 8.0

AllMtn 3.0

ELECMOVE
bicicletas eléctricas · electric bikes

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

XTREME FULL SUSPENSION

XDURO

NDURO
DWNHLL
ALLMTN
FULLFATSIX

XDURO NDURO 10.0
XDURO NDURO 8.0
XDURO NDURO 5.0
XDURO NDURO 2.0

XDURO DWNHLL 8.0

XDURO ALLMTN 10.0
XDURO ALLMTN 8.0
XDURO ALLMTN 5.0
XDURO ALLMTN 3.5
XDURO ALLMTN 3.0
XDURO ALLMTN 2.0

XDURO FULLFATSIX 10.0

TOP RANGE

Nduro 10.0

ELECMOVE
bicicletas eléctricas · electric bikes

KEY TECH

- FLYON: HAIBIKEs erstes ePerfomance System, Benchmark für Integration, Digitalisierung & Konektivität
- FOX Factory suspension 180mm with Kashima coating
- Carbon-Rahmen
- Skybeamer (5000 Lumen) & Twin-Tail-Lights
- Stärkster Antrieb am Markt (120Nm) / Intube battery (630Wh)
- Modular Rail System, integrierte Sattelstütze & Kabelführung

BENEFITS

- Diebstahlschutz & SOS Nachricht
- Erhabene Stabilität & Souveränität, sehr agiles Fahrwerk und sportliche Fahrwerkabstimmung
- 24/7 Fahrerlebnis dank integrierter Lichtanlage
- Mehrwert dank MRS
- Natürliches (kraftvolles) Fahrerlebnis mit hervorragender Unterstützung

- FLYON: HAIBIKE´s first ePerfomance system, benchmark for integration, digitalization & connectivity
- FOX Factory suspension 180mm with Kashima coating
- Carbon frame
- Skybeamer (5000 Lumen) & Twin-Tail-Lights
- Strongest available drive unit (120Nm) / Intube battery (630Wh)
- Modular Rail System, integrated dropper post and cable-routing

- Theft protection & SOS message
- Superior stability & souverenity
- 24/7 riding experience thanks integrated light system
- Added value thanks to MRS
- Natural (powerful) riding experience with superior support

XDURO
NDURO 10.0

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	FOX 36 Float Factory, air, Travel: 180mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	FOX Float X2 Factory, air
Schaltwerk / Rear derailleur	Sram EX1, 8-speed
Schalthebel / Shift lever	Sram EX1, trigger switch
Zahnkranz (hinten) / Sprocket	Sram XG899, 11-48 teeth
Kette / Chain	Sram EX1
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Schwalbe Magic Mary, 65-584
Laufradsatz / Wheel set	DT Swiss FR1950
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Prologo PROXIM TiroX
Sattelstütze / Seat post	Kind Shock LEV-Integra, telescope, 34.9mm, aluminium
Pedale / Pedals	Haibike Freeride pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh **FLYON** **27,5”** **eConnect** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	42 cm	4541138942	red/carbon/yellow
MTB Fully	27.5"	44 cm	4541138944	red/carbon/yellow
MTB Fully	27.5"	46 cm	4541138946	red/carbon/yellow
MTB Fully	27.5"	48 cm	4541138948	red/carbon/yellow

XTREME FULL SUSPENSION

XDURO
NDURO 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	FOX 36 Float Performance, air, Travel: 180mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	FOX Float X2 Performance, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano Deore XT M8000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	Shimano HG601
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 203mm
Reifen / Tyres	Schwalbe Magic Mary, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	42 cm	4541126942	silver/olive/orange matt
MTB Fully	27.5"	44 cm	4541126944	silver/olive/orange matt
MTB Fully	27.5"	46 cm	4541126946	silver/olive/orange matt
MTB Fully	27.5"	48 cm	4541126948	silver/olive/orange matt

XTREME FULL SUSPENSION

XDURO
NDURO 5.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	RockShox Yari RC, air, Travel: 180mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Super Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF, 66-584 / Maxxis Minion DHR II, 66-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	42 cm	4541108942	blue/white/orange
MTB Fully	27.5"	44 cm	4541108944	blue/white/orange
MTB Fully	27.5"	46 cm	4541108946	blue/white/orange
MTB Fully	27.5"	48 cm	4541108948	blue/white/orange

XTREME FULL SUSPENSION

XDURO
NDURO 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, hydroformed, Gravity Casting, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	RockShox Yari RC, air, Travel: 180mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Super Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync II, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Maxxis Minion DHF, 66-584 / Maxxis Minion DHR II, 66-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

ePerformance

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	42 cm	4541090042	black/silver/red
MTB Fully	27.5"	44 cm	4541090044	black/silver/red
MTB Fully	27.5"	46 cm	4541090046	black/silver/red
MTB Fully	27.5"	48 cm	4541090048	black/silver/red

XTREME FULL SUSPENSION

XDURO
DWNHLL 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 200mm
Gabel / Fork	RockShox RockShox BoXXer Select RC, air, Travel: 200mm, thru-axle
Dämpfer / Damper	RockShox Super Deluxe Ultimate DH, air, 75mm
Schaltwerk / Rear derailleur	Sram GX, 11-speed
Schalthebel / Shift lever	Sram GX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Maxxis Assegai DD, 63-584
Felgen / Rims	Alexrims Supra BH, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +++, direct mount
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Kind Shock LEV, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Downhill

ePerformance

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	42 cm	4541144042	green/white/orange
MTB Fully	27.5"	43 cm	4541144043	green/white/orange
MTB Fully	27.5"	44 cm	4541144044	green/white/orange
MTB Fully	27.5"	45 cm	4541144045	green/white/orange

XTREME FULL SUSPENSION

XDURO ALLMTN 10.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	DT Swiss F535-One Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	DT Swiss R535 One, air
Schaltwerk / Rear derailleur	Sram XX1 Eagle, 12-speed
Schalthebel / Shift lever	Sram XX1 Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram XX1 Eagle
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Laufradsatz / Wheel set	DT Swiss HX 1501
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Prologo PROXIM TiroX
Sattelstütze / Seat post	Kind Shock LEV-Integra, telescope, 34.9mm, aluminium
Pedale / Pedals	Haibike Freeride pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh **FLYON** **29/27,5”** **eConnect** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541072941	carbon/silver/red matt
MTB Fully	27.5"	44 cm	4541072944	carbon/silver/red matt
MTB Fully	27.5"	47 cm	4541072947	carbon/silver/red matt
MTB Fully	27.5"	50 cm	4541072950	carbon/silver/red matt

XDURO ALLMTN 8.0

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	FOX 36 Float Performance Elite Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPX2 Performance Elite, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano Deore XT M8000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	Shimano HG601
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh **FLYON** **29/27,5”** **eConnect** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541066941	olive/carbon/orange matt
MTB Fully	27.5"	44 cm	4541066944	olive/carbon/orange matt
MTB Fully	27.5"	47 cm	4541066947	olive/carbon/orange matt
MTB Fully	27.5"	50 cm	4541066950	olive/carbon/orange matt

XTREME FULL SUSPENSION

XDURO
ALLMTN 5.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Delu xe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **29/27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541048941	white/blue/orange
MTB Fully	27.5"	44 cm	4541048944	white/blue/orange
MTB Fully	27.5"	47 cm	4541048947	white/blue/orange
MTB Fully	27.5"	50 cm	4541048950	white/blue/orange

XTREME FULL SUSPENSION

XDURO
ALLMTN 3.5

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, Integrated Motor, SkidPlate, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Pike Select RC, air/oil, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Shimano XT M8100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / B rake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Maxxis Minion DHF II, 65-622 / Maxxis Minion DHR II, 71-584
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **29/27,5”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541024041	black/black/lime
MTB Fully	27.5"	44 cm	4541024044	black/black/lime
MTB Fully	27.5"	47 cm	4541024047	black/black/lime
MTB Fully	27.5"	50 cm	4541024050	black/black/lime

TOP RANGE

AllMtn 3.0

ELECMOVE
bicicletas eléctricas · electric bikes

KEY TECH

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- Unterschiedliche Laufradgrößen:
  29” vorne / 27.5” hinten
- Vollintegrierte (abnehmbare) Powertube
  mit 625 Wh
- MRS Option mit Range Extender Powerpack 500
- 4 Rahmengrössen zur Auswahl: S – M – L – XL für
  Körpergrößen von 155 bis 195cm
- Zuverlässige und robuste AL Kontruktion
- Skybeamer and Twin-Tail-Light optional erhältlich

BENEFITS

- BOSCH Gen4: kompakt und hohe Leistungsdichte
- Unterschiedliche Laufradgrößen für max. Präzision,
  Traktion & Wendigkeit
- Unglaubliche Reichweite bei FullSuspension Bikes
  625Wh + 500Wh = 1.125Wh
- EINZIGARTIG:
  alle Rahmengrößen mit Range Extender Option
- Design für höhere Steifigkeit & Agilität
- Option für 24/7 Fahrerlebnis mit integrierter
  Lichtanlage

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- Mixed wheelsize: 29” front / 27.5” rear
- Fully integrated (removable) Powertube
  with 625 Wh
- MRS option with Range Extender Powerpack 500
- 4 frame sizes available: S – M – L – XL for rider
  height 155 to 195cm
- Reliable and robust AL construction
- Skybeamer and Twin-Tail-Light option

- BOSCH Gen4: kompakt und hohe Leistungsdichte
- Mixed wheelsize for max. precision, traction & agility
- Incredible range with Full Suspension bikes:
  625Wh + 500Wh = 1.125Wh
- UNIQUE:
  all frame sizes with range extender option
- Construction offers increased stiffness & agility
- Option for 24/7 riding experience

XTREME FULL SUSPENSION

XDURO ALLMTN 3.0

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, Integrated Motor, SkidPlate, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF II, 65-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **29/27,5”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541018041	blue/black/grey
MTB Fully	27.5"	44 cm	4541018044	blue/black/grey
MTB Fully	27.5"	47 cm	4541018047	blue/black/grey
MTB Fully	27.5"	50 cm	4541018050	blue/black/grey

XTREME FULL SUSPENSION

XDURO ALLMTN 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram NX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram NX Eagle
Kettenblatt / Chainring	Sram X-Sync II, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT501, aluminium
Bremse vorne / Brake front	Shimano MT520, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT520, aluminium, 180mm
Reifen / Tyres	Maxxis Minion DHF, 71-584 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4541012041	black/silver/red
MTB Fully	27.5"	44 cm	4541012044	black/silver/red
MTB Fully	27.5"	47 cm	4541012047	black/silver/red
MTB Fully	27.5"	50 cm	4541012050	black/silver/red

XTREME FULL SUSPENSION

XDURO
FULLFATSIX 10.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.50) x 197mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox Bluto RL Remote Lockout, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 47.5mm
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram GX Eagle
Kettenblatt / Chainring	Sram X-Sync II, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	TRP G-Spec Trail S, aluminium
Bremse vorne / Brake front	TRP G-Spec Trail S, aluminium, 203mm
Bremse hinten / Brake rear	TRP G-Spec Trail S, aluminium, 180mm
Reifen / Tyres	Schwalbe Jumbo Jim Evo, 100-559
Felgen / Rims	Alexrims Blizzerk80, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Kind Shock LEV, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Fatbike

ePerformance

Motor	Yamaha PW-X System, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **26”** **eConnect**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	26"	42 cm	4541168042	black/white/red matte
MTB Fully	26"	46 cm	4541168046	black/white/red matte
MTB Fully	26"	50 cm	4541168050	black/white/red matte

ELECMOVE
bicicletas eléctricas · electric bikes

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

XTREME HARDTAIL

XDURO

ALLTRAIL
FATSIX

XDURO ALLTRAIL 6.0
XDURO ALLTRAIL 5.0

XDURO FATSIX 8.0

XTREME HARDTAIL

XDURO ALLTRAIL 6.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Revelation RC, air, Travel: 140mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram GX Eagle
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF, 71-584 / Maxxis Minion DHR II, 71-584
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	38 cm	4541006938	carbon/titanium/bronze
MTB Hardtail 27.5"	42 cm	4541006942	carbon/titanium/bronze
MTB Hardtail 27.5"	46 cm	4541006946	carbon/titanium/bronze
MTB Hardtail 27.5"	50 cm	4541006950	carbon/titanium/bronze
MTB Hardtail 27.5"	54 cm	4541006954	carbon/titanium/bronze

XDURO ALLTRAIL 5.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Raidon 34 LO-R Lockout, air, Travel: 140mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT54 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT4, 203mm
Reifen / Tyres	Maxxis Minion DHF, 71-584 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	38 cm	4541000938	blue/white/orange
MTB Hardtail 27.5"	42 cm	4541000942	blue/white/orange
MTB Hardtail 27.5"	46 cm	4541000946	blue/white/orange
MTB Hardtail 27.5"	50 cm	4541000950	blue/white/orange
MTB Hardtail 27.5"	54 cm	4541000954	blue/white/orange

XTREME HARDTAIL

XDURO FATSIX 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.50) x 197mm, disc brake Post Mount
Gabel / Fork	RockShox Bluto RL Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Tektro Orion M735, aluminium
Bremse vorne / Brake front	Tektro Orion M735, aluminium, 180mm
Bremse hinten / Brake rear	Tektro Orion M735, 180mm
Reifen / Tyres	Schwalbe Jumbo Jim Evo, 100-559
Felgen / Rims	Alexrims Blizzerk80, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	23.4kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Fatbike

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **26”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 26"	40 cm	4541162940	olive/carbon/orange matt
MTB Hardtail 26"	45 cm	4541162945	olive/carbon/orange matt
MTB Hardtail 26"	50 cm	4541162950	olive/carbon/orange matt

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

XTREME TOURING

XDURO

ADVENTR

XDURO ADVENTR 6.0
XDURO ADVENTR 5.0

TOP RANGE

Adventr 6.0

ELECMOVE
bicicletas eléctricas · electric bikes

KEY TECH

- FLYON: HAIBIKEs erstes ePerfomance System, Benchmark für Integration, Digitalisierung & Konektivität
- Spezielle Mudguards / Reflektierende Reifen / STVZO konform
- Carbon-Rahmen
- Skybeamer (5000 Lumen) & Twin-Tail-Lights
- Stärkster Antrieb am Markt (120Nm) / Intube battery (630Wh)
- Modular Rail System, integrierte Sattelstütze & Kabelführung

BENEFITS

- Diebstahlschutz & SOS Nachricht
- Völlig neue Interpretation eines ATBs in Design und Funktionalität
- 24/7 Fahrerlebnis dank integrierter Lichtanlage
- Integrierte Anhänger Aufnahme (Weber Kupplung)
- Mehrwert dank MRS
- Natürliches (kraftvolles) Fahrerlebnis mit hervorragender Unterstützung

- FLYON: HAIBIKE´s first ePerfomance system, benchmark for integration, digitalization & connectivity
- Special Mudguards / Reflecting tires / STVZO approved
- Carbon frame
- Skybeamer (5000 Lumen) & Twin-Tail-Lights
- Strongest available drive unit (120Nm) / Intube battery (630Wh)
- Modular Rail System, integrated dropper post and cable-routing

- Theft protection & SOS message
- New ATB interpretation with iconic design
- 24/7 riding experience thanks to integrated light system
- Integrated trailer connection (via Weber-Coupling)
- Added value thanks to MRS
- Natural (powerful) riding experience with superior support

XTREME TOURING

XDURO ADVENTR 6.0

ELECMOVE
bicicletas eléctricas · electric bikes

TOP RANGE

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Aion35 RLR DS Lockout, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano Deore XT M8000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	Shimano HG601
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8000, 203mm
Reifen / Tyres	Schwalbe Marathon MTB Plus, 57-584, puncture protection, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Haibike system carrier, AVS
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh **FLYON** **27,5”** **eConnect** **MRS**

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	44 cm	4541192944	carbon/titanium/bronze
Men	27.5"	48 cm	4541192948	carbon/titanium/bronze
Men	27.5"	52 cm	4541192952	carbon/titanium/bronze
Men	27.5"	56 cm	4541192956	carbon/titanium/bronze
Men	27.5"	60 cm	4541192960	carbon/titanium/bronze

XTREME TOURING

XDURO ADVENTR 5.0

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR34 Coil LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Magura MT54 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT4, 203mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Industry, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	Haibike Twin TailLights
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Haibike system carrier, AVS
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh | **FLYON** | **27,5”** | **eConnect** | **MRS**

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	44 cm	4541186944	white/blue/orange
Men	27.5"	48 cm	4541186948	white/blue/orange
Men	27.5"	52 cm	4541186952	white/blue/orange
Men	27.5"	56 cm	4541186956	white/blue/orange
Men	27.5"	60 cm	4541186960	white/blue/orange

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT FULL SUSPENSION

SDURO

FULLSEVEN
FULLNINE

SDURO FULLSEVEN LT 8.0
SDURO FULLSEVEN LT 7.0
SDURO FULLSEVEN LT 6.0
SDURO FULLSEVEN LT 5.0
SDURO FULLSEVEN LT 4.0
SDURO FULLSEVEN LT 3.0
SDURO FULLSEVEN LT 2.0
SDURO FULLSEVEN 1.0

SDURO FULLNINE 8.0
SDURO FULLNINE 7.0
SDURO FULLNINE 6.0
SDURO FULLNINE 5.0
SDURO FULLNINE 4.0
SDURO FULLNINE 3.0
SDURO FULLNINE 2.0

SPORT FULL SUSPENSION

SDURO FULLSEVEN LT 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Pike Select RC, air/oil, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 60mm
Schaltwerk / Rear derailleur	Shimano XT M8100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **27,5”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4540132041	red/black/grey
MTB Fully	27.5"	44 cm	4540132044	red/black/grey
MTB Fully	27.5"	47 cm	4540132047	red/black/grey
MTB Fully	27.5"	50 cm	4540132050	red/black/grey

SPORT FULL SUSPENSION

SDURO FULLSEVEN LT 7.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 60mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **27,5”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4540126041	grey/black/turquoise
MTB Fully	27.5"	44 cm	4540126044	grey/black/turquoise
MTB Fully	27.5"	47 cm	4540126047	grey/black/turquoise
MTB Fully	27.5"	50 cm	4540126050	grey/black/turquoise

SPORT FULL SUSPENSION

SDURO
FULLSEVEN LT 6.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540120040	black/grey/bronce
MTB Fully	27.5"	44 cm	4540120044	black/grey/bronce
MTB Fully	27.5"	48 cm	4540120048	black/grey/bronce
MTB Fully	27.5"	52 cm	4540120052	black/grey/bronce

SPORT FULL SUSPENSION

SDURO
FULLSEVEN LT 5.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT501, aluminium
Bremse vorne / Brake front	Shimano MT520, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT520, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540114040	white/black/orange
MTB Fully	27.5"	44 cm	4540114044	white/black/orange
MTB Fully	27.5"	48 cm	4540114048	white/black/orange
MTB Fully	27.5"	52 cm	4540114052	white/black/orange

SPORT FULL SUSPENSION

SDURO FULLSEVEN LT 4.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	SR Suntour Aion 35 LO-R Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540108040	metallic/red/black
MTB Fully	27.5"	44 cm	4540108044	metallic/red/black
MTB Fully	27.5"	48 cm	4540108048	metallic/red/black
MTB Fully	27.5"	52 cm	4540108052	metallic/red/black

SPORT FULL SUSPENSION

SDURO FULLSEVEN LT 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge LO-R8, air, 57mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore M6000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 60-584
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540102040	blue/white/black
MTB Fully	27.5"	44 cm	4540102044	blue/white/black
MTB Fully	27.5"	48 cm	4540102048	blue/white/black
MTB Fully	27.5"	52 cm	4540102052	blue/white/black

SPORT FULL SUSPENSION

SDURO
FULLSEVEN LT 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	SR Suntour Aion LO-R Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	SR Suntour Edge LO-R8, air, 57mm
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Tough Tom, 60-584
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540096040	black/white/red
MTB Fully	27.5"	44 cm	4540096044	black/white/red
MTB Fully	27.5"	48 cm	4540096048	black/white/red
MTB Fully	27.5"	52 cm	4540096052	black/white/red

SDURO FULLSEVEN 1.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	SR Suntour XCM32 LO, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8", thru-axle
Dämpfer / Damper	SR Suntour Raidon LO, air
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	Schwalbe Tough Tom, 60-584
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540090040	antracite/lime/sand
MTB Fully	27.5"	44 cm	4540090044	antracite/lime/sand
MTB Fully	27.5"	48 cm	4540090048	antracite/lime/sand
MTB Fully	27.5"	52 cm	4540090052	antracite/lime/sand

TOP RANGE

Fullnine 7.0

ELECMOVE
bicicletas eléctricas · electric bikes

KEY TECH

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- Große Laufräder: 29” vorne & hinten
- Vollintegrierte (abnehmbare) Powertube mit 625 Wh
- MRS Option mit Range Extender Powerpack 500
- 4 Rahmengrössen zur Auswahl: S – M – L – XL für Körpergrößen von 155 bis 195cm
- Zuverlässige und robuste AL Kontruktion
- Skybeamer and Twin-Tail-Light optional erhältlich

BENEFITS

- BOSCH Gen4: kompakt und hohe Leistungsdichte
- Ein wahres 29er Trail Bike für jeden Einsatzzweck mit 140mm Federweg
- Unglaubliche Reichweite bei FullSuspension Bikes 625Wh + 500Wh = 1.125Wh
- EINZIGARTIG: alle Rahmengrößen mit Range Extender Option
- Design für höhere Steifigkeit & Agilität
- Option für 24/7 Fahrerlebnis

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- Big wheels: 29” front & rear
- Fully integrated (removable) Powertube with 625 Wh
- MRS option with Range Extender Powerpack 500
- 4 frame sizes available: S – M – L – XL for rider height 155 to 195cm
- Reliable and robust AL construction
- Skybeamer and Twin-Tail-Light option

- BOSCH Gen4: compact and high power density
- True 29” trail bike for allround use with 140mm travel
- Incredible range with Full Suspension bikes: 625Wh + 500Wh = 1.125Wh
- UNIQUE: all frame sizes with range extender option
- Construction offers increased stiffness & agility
- Option for 24/7 riding experience

SPORT FULL SUSPENSION

SDURO FULLNINE 7.0

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, SkidPlate, Integrated Motor, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air/oil, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 57.5mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **29”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	41 cm	4540168041	black/grey/turquoise
MTB Fully	29"	44 cm	4540168044	black/grey/turquoise
MTB Fully	29"	47 cm	4540168047	black/grey/turquoise
MTB Fully	29"	50 cm	4540168050	black/grey/turquoise

SPORT FULL SUSPENSION

SDURO FULLNINE 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, SkidPlate, Integrated Motor, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Pike Select RC, air/oil, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 57.5mm
Schaltwerk / Rear derailleur	Shimano XT M8100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **29”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	41 cm	4540174041	red/black/grey
MTB Fully	29"	44 cm	4540174044	red/black/grey
MTB Fully	29"	47 cm	4540174047	red/black/grey
MTB Fully	29"	50 cm	4540174050	red/black/grey

SDURO FULLNINE 6.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, hydroformed, Gravity Casting, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	RockShox Revelation RC, air, Travel: 110mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 50mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Laufradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	40 cm	4540162040	titanium/black/bronze
MTB Fully	29"	44 cm	4540162044	titanium/black/bronze
MTB Fully	29"	48 cm	4540162048	titanium/black/bronze
MTB Fully	29"	52 cm	4540162052	titanium/black/bronze

SPORT FULL SUSPENSION

SDURO FULLNINE 5.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	RockShox Revelation RC, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 45mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT500, aluminium
Bremse vorne / Brake front	Shimano MT520, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT520, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	40 cm	4540156040	white/orange/blue
MTB Fully	29"	44 cm	4540156044	white/orange/blue
MTB Fully	29"	48 cm	4540156048	white/orange/blue
MTB Fully	29"	52 cm	4540156052	white/orange/blue

SPORT FULL SUSPENSION

SDURO FULLNINE 4.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Aion 35 LO-R Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 45mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	40 cm	4540150040	sand/red/black
MTB Fully	29"	44 cm	4540150044	sand/red/black
MTB Fully	29"	48 cm	4540150048	sand/red/black
MTB Fully	29"	52 cm	4540150052	sand/red/black

SPORT FULL SUSPENSION

SDURO FULLNINE 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	RockShox 35 Gold, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge LO-R8, air, 44mm
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore M6000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 57-622
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	40 cm	4540144040	blue/white/black
MTB Fully	29"	44 cm	4540144044	blue/white/black
MTB Fully	29"	48 cm	4540144048	blue/white/black
MTB Fully	29"	52 cm	4540144052	blue/white/black

SPORT FULL SUSPENSION

SDURO FULLNINE 2.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Aion LOR Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	SR Suntour Edge LO-R8, air, 44mm
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 180mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Tough Tom, 57-622
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	29"	40 cm	4540138040	silver/red/black
MTB Fully	29"	44 cm	4540138044	silver/red/black
MTB Fully	29"	48 cm	4540138048	silver/red/black
MTB Fully	29"	52 cm	4540138052	silver/red/black

ELECMOVE
bicicletas eléctricas · electric bikes

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT FULL SUSPENSION LADIES

SDURO

FULLSEVEN LIFE

SDURO FULLSEVEN LIFE LT 7.0
SDURO FULLSEVEN LIFE LT 4.0
SDURO FULLSEVEN LIFE LT 2.0
SDURO FULLSEVEN LIFE 1.0

TOP RANGE

ELECMOVE
bicicletas eléctricas · electric bikes

Fullseven Life LT 7.0

KEY TECH

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- 27,5" Plus Laufräder vorne & hinten
- Vollintegrierte (abnehmbare) Powertube mit 625 Wh
- MRS Option mit Range Extender Powerpack 500
- 4 Rahmengrößen zur Auswahl: S – M – L – XL für Körpergrößen von 155 bis 195cm
- Zuverlässige und robuste AL Kontruktion
- Skybeamer and Twin-Tail-Light optional erhältlich

BENEFITS

- BOSCH Gen4: kompakt und hohe Leistungsdichte
- Sichere und souveräne Fahreigenschaften
- Unglaubliche Reichweite bei FullSuspension Bikes 625Wh + 500Wh = 1.125Wh
- EINZIGARTIG: alle Rahmengrößen mit Range Extender Option
- Design für höhere Steifigkeit & Agilität
- Option für 24/7 Fahrerlebnis

- BOSCH Gen4 Drive Unit - 2.85kg/ 75Nm
- 27,5" Plus wheel size front & rear
- Fully integrated (removable) Powertube with 625 Wh
- MRS option with Range Extender Powerpack 500
- 4 frame sizes available: S – M – L – XL for rider height 155 to 195cm
- Reliable and robust AL construction
- Skybeamer and Twin-Tail-Light option

- BOSCH Gen4: compact and high power density
- Safe & confident riding characteristics
- Incredible range with Full Suspension bikes: 625Wh + 500Wh = 1.125Wh
- UNIQUE: all frame sizes with range extender option
- Construction offers increased stiffness & agility
- Option for 24/7 riding experience

SPORT FULL SUSPENSION LADIES

SDURO FULLSEVEN LIFE LT 7.0

TOP RANGE

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 60mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 760mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A

625 Wh | **BOSCH** | **27,5”** | **MRS**

RANGE EXTENDER OPTION
625Wh + 500Wh = 1.125Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	41 cm	4540234041	turquoise/black/grey
MTB Fully	27.5"	44 cm	4540234044	turquoise/black/grey
MTB Fully	27.5"	47 cm	4540234047	turquoise/black/grey
MTB Fully	27.5"	50 cm	4540234050	turquoise/black/grey

SPORT FULL SUSPENSION LADIES

SDURO
FULLSEVEN LIFE LT 4.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	SR Suntour Aion 35 LO-R Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 65mm
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540228040	sand/coral/black
MTB Fully	27.5"	43 cm	4540228043	sand/coral/black
MTB Fully	27.5"	46 cm	4540228046	sand/coral/black
MTB Fully	27.5"	49 cm	4540228049	sand/coral/black

SPORT FULL SUSPENSION LADIES

SDURO
FULLSEVEN LIFE LT 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	SR Suntour Aion LO-R Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	SR Suntour Edge LO-R8, air, 57mm
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Tough Tom, 60-584
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540222040	kingston/coral/black
MTB Fully	27.5"	43 cm	4540222043	kingston/coral/black
MTB Fully	27.5"	46 cm	4540222046	kingston/coral/black
MTB Fully	27.5"	49 cm	4540222049	kingston/coral/black

SPORT FULL SUSPENSION LADIES

SDURO
FULLSEVEN LIFE 1.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	SR Suntour XCM32 LO, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8", thru-axle
Dämpfer / Damper	SR Suntour Raidon LO, air
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M276, aluminium
Bremse vorne / Brake front	Tektro M276, aluminium, 180mm
Bremse hinten / Brake rear	Tektro M276, aluminium, 180mm
Reifen / Tyres	Schwalbe Tough Tom, 60-584
Felgen / Rims	Rodi Black Rock 23, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle Lady
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Fully	27.5"	40 cm	4540216040	tuscan/black/red
MTB Fully	27.5"	43 cm	4540216043	tuscan/black/red
MTB Fully	27.5"	46 cm	4540216046	tuscan/black/red
MTB Fully	27.5"	49 cm	4540216049	tuscan/black/red

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT HARDTAIL

SDURO

HARDSEVEN
HARDNINE

SDURO HARDSEVEN 8.0
SDURO HARDSEVEN 7.0
SDURO HARDSEVEN 6.0
SDURO HARDSEVEN 5.0
SDURO HARDSEVEN 4.0
SDURO HARDSEVEN 3.0
SDURO HARDSEVEN 2.0
SDURO HARDSEVEN 1.5
SDURO HARDSEVEN 1.0

SDURO HARDNINE 8.0
SDURO HARDNINE 7.0
SDURO HARDNINE 6.0
SDURO HARDNINE 5.0
SDURO HARDNINE 4.0
SDURO HARDNINE 3.0
SDURO HARDNINE 2.0
SDURO HARDNINE 1.5
SDURO HARDNINE 1.0

SPORT HARDTAIL

SDURO HARDSEVEN 8.0

TOP RANGE

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 120mm, thru-axle Boost
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **27,5”** **MRS**

RANGE EXTENDER OPTION
500Wh + 500Wh = 1.000Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540042040	black/kingston/red
MTB Hardtail 27.5"	44 cm	4540042044	black/kingston/red
MTB Hardtail 27.5"	48 cm	4540042048	black/kingston/red
MTB Hardtail 27.5"	52 cm	4540042052	black/kingston/red

SPORT HARDTAIL

SDURO HARDSEVEN 7.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Sektor RL, air, Travel: 130mm, thru-axle Boost
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540039040	black/grey/turquoise
MTB Hardtail 27.5"	44 cm	4540039044	black/grey/turquoise
MTB Hardtail 27.5"	48 cm	4540039048	black/grey/turquoise
MTB Hardtail 27.5"	52 cm	4540039052	black/grey/turquoise

SPORT HARDTAIL

SDURO HARDSEVEN 6.0

TOP RANGE

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Recon TK, air, Travel: 130mm, thru-axle Boost
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 180mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540036040	black/titanium/bronze
MTB Hardtail 27.5"	44 cm	4540036044	black/titanium/bronze
MTB Hardtail 27.5"	48 cm	4540036048	black/titanium/bronze
MTB Hardtail 27.5"	52 cm	4540036052	black/titanium/bronze

SPORT HARDTAIL

SDURO HARDSEVEN 5.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540030040	white/orange/blue
MTB Hardtail 27.5"	44 cm	4540030044	white/orange/blue
MTB Hardtail 27.5"	48 cm	4540030048	white/orange/blue
MTB Hardtail 27.5"	52 cm	4540030052	white/orange/blue

SPORT HARDTAIL

SDURO HARDSEVEN 4.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	RockShox Recon TK, steel spring/oil, Travel: 120mm, thru-axle Boost
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore M6000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540024035	sand/red/black
MTB Hardtail 27.5"	40 cm	4540024040	sand/red/black
MTB Hardtail 27.5"	45 cm	4540024045	sand/red/black
MTB Hardtail 27.5"	50 cm	4540024050	sand/red/black
MTB Hardtail 27.5"	55 cm	4540024055	sand/red/black

SPORT HARDTAIL

SDURO HARDSEVEN 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air LO-R Lockout, air, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540018035	blue/white/black
MTB Hardtail 27.5"	40 cm	4540018040	blue/white/black
MTB Hardtail 27.5"	45 cm	4540018045	blue/white/black
MTB Hardtail 27.5"	50 cm	4540018050	blue/white/black
MTB Hardtail 27.5"	55 cm	4540018055	blue/white/black

SPORT HARDTAIL

SDURO HARDSEVEN 2.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	XLC MountainX, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch compact charger 2A

500Wh **BOSCH** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540012035	silver/red/black
MTB Hardtail 27.5"	40 cm	4540012040	silver/red/black
MTB Hardtail 27.5"	45 cm	4540012045	silver/red/black
MTB Hardtail 27.5"	50 cm	4540012050	silver/red/black
MTB Hardtail 27.5"	55 cm	4540012055	silver/red/black

SPORT HARDTAIL

SDURO HARDSEVEN 1.5

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540009040	blue/orange/titan
MTB Hardtail 27.5"	44 cm	4540009044	blue/orange/titan
MTB Hardtail 27.5"	48 cm	4540009048	blue/orange/titan
MTB Hardtail 27.5"	52 cm	4540009052	blue/orange/titan

SPORT HARDTAIL

SDURO HARDSEVEN 1.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	XLC MountainX, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540006035	titan/lime/black
MTB Hardtail 27.5"	40 cm	4540006040	titan/lime/black
MTB Hardtail 27.5"	45 cm	4540006045	titan/lime/black
MTB Hardtail 27.5"	50 cm	4540006050	titan/lime/black
MTB Hardtail 27.5"	55 cm	4540006055	titan/lime/black

SPORT HARDTAIL

SDURO HARDNINE 8.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 120mm, thru-axle Boost
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **29”** **MRS**

RANGE EXTENDER OPTION
500Wh + 500Wh = 1.000Wh

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540084040	black/kingston/red
MTB Hardtail 29"	44 cm	4540084044	black/kingston/red
MTB Hardtail 29"	48 cm	4540084048	black/kingston/red
MTB Hardtail 29"	48 cm	4540084052	black/kingston/red

TOP RANGE

ELECMOVE
bicicletas eléctricas · electric bikes

Hardnine 6.0

KEY TECH

- Neuer YAMAHA PW-ST Motor
- Große Laufräder: 29” vorne & hinten
- Vollintegrierte (abnehmbare) Powertube mit 500 Wh
- MRS Optionen
- 12-S SX Eagle Schaltung mit Tektro Orion 4-Piston Bremse
- Leichter AL Rahmen mit hoher Steifigkeit

BENEFITS

- YAMAHA PW-ST: verbessertes Handling und weniger Gewicht
- Pefekte Eigenschaften für sportives Fahren
- Ein 29" Trail Bike für jeden Einsatzzweck
- Höhere Dynamik in Ansprechverhalten und erhöhte Agilität
- Stabilität, Komfort und Souveränität

- New YAMAHA PW-ST drive unit
- Big wheels: 29” front & rear
- Fully integrated (removable) Powertube with 500 Wh
- MRS options
- 12-S SX Eagle drive train with Tektro Orion 4-Piston brake
- Lightweight alloy frame with high rigidity

- YAMAHA PW-ST: improved start assist characteristic & less weight
- Automatic support mode for sporty riding
- 29” trail bike for allround use
- Higher dynamics in response and agility
- Stability, comfort and confidence

SPORT HARDTAIL

SDURO HARDNINE 6.0

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Recon RL Remote Lockout, air, Travel: 110mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 180mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540078040	black/titanium/bronze
MTB Hardtail 29"	44 cm	4540078044	black/titanium/bronze
MTB Hardtail 29"	48 cm	4540078048	black/titanium/bronze
MTB Hardtail 29"	52 cm	4540078052	black/titanium/bronze

SPORT HARDTAIL

SDURO HARDNINE 7.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Sektor RL, air, Travel: 110mm, thru-axle Boost
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore XT M786, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540080040	black/grey/turquoise
MTB Hardtail 29"	44 cm	4540080044	black/grey/turquoise
MTB Hardtail 29"	48 cm	4540080048	black/grey/turquoise
MTB Hardtail 29"	52 cm	4540080052	black/grey/turquoise

SPORT HARDTAIL

SDURO HARDNINE 5.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 LOR, steel spring, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540072040	white/orange/blue
MTB Hardtail 29"	44 cm	4540072044	white/orange/blue
MTB Hardtail 29"	48 cm	4540072048	white/orange/blue
MTB Hardtail 29"	52 cm	4540072052	white/orange/blue

SPORT HARDTAIL

SDURO HARDNINE 4.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	RockShox Recon TK Remote Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore M6000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, FSA, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Smart Sam, 57-622
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540066040	sand/red/black
MTB Hardtail 29"	45 cm	4540066045	sand/red/black
MTB Hardtail 29"	50 cm	4540066050	sand/red/black
MTB Hardtail 29"	55 cm	4540066055	sand/red/black

SPORT HARDTAIL

SDURO HARDNINE 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air LO-R Lockout, air, Travel: 100mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 57-622
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540060040	blue/white/black
MTB Hardtail 29"	45 cm	4540060045	blue/white/black
MTB Hardtail 29"	50 cm	4540060050	blue/white/black
MTB Hardtail 29"	55 cm	4540060055	blue/white/black

SPORT HARDTAIL

SDURO HARDNINE 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	XLC MountainX, 57-622
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540054040	silver/red/black
MTB Hardtail 29"	45 cm	4540054045	silver/red/black
MTB Hardtail 29"	50 cm	4540054050	silver/red/black
MTB Hardtail 29"	55 cm	4540054055	silver/red/black

SPORT HARDTAIL

SDURO HARDNINE 1.5

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 LOR, steel spring, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar+ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **29”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540051040	blue/orange/titan
MTB Hardtail 29"	44 cm	4540051044	blue/orange/titan
MTB Hardtail 29"	48 cm	4540051048	blue/orange/titan
MTB Hardtail 29"	52 cm	4540051052	blue/orange/titan

SPORT HARDTAIL

SDURO HARDNINE 1.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	XLC MountainX, 57-622
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **29”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4540048040	titan/lime/black
MTB Hardtail 29"	45 cm	4540048045	titan/lime/black
MTB Hardtail 29"	50 cm	4540048050	titan/lime/black
MTB Hardtail 29"	55 cm	4540048055	titan/lime/black

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT HARDTAIL LADIES

SDURO

HARDSEVEN LIFE

SDURO HARDSEVEN LIFE 6.0
SDURO HARDSEVEN LIFE 5.0
SDURO HARDSEVEN LIFE 4.0
SDURO HARDSEVEN LIFE 3.0
SDURO HARDSEVEN LIFE 2.0
SDURO HARDSEVEN LIFE 1.0

SPORT HARDTAIL LADIES

SDURO
HARDSEVEN LIFE 6.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Recon TK, air, Travel: 130mm, thru-axle Boost
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 180mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540213040	tuscan/white/black
MTB Hardtail 27.5"	43 cm	4540213043	tuscan/white/black
MTB Hardtail 27.5"	46 cm	4540213046	tuscan/white/black
MTB Hardtail 27.5"	49 cm	4540213049	tuscan/white/black

SPORT HARDTAIL LADIES

SDURO
HARDSEVEN LIFE 5.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	40 cm	4540210040	blue/red/white
MTB Hardtail 27.5"	43 cm	4540210043	blue/red/white
MTB Hardtail 27.5"	46 cm	4540210046	blue/red/white
MTB Hardtail 27.5"	49 cm	4540210049	blue/red/white

SPORT HARDTAIL LADIES

SDURO HARDSEVEN LIFE 4.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	RockShox Recon TK, steel spring/oil, Travel: 120mm, thru-axle Boost
Umwerfer / Front derailleur	Shimano Deore M6000
Schaltwerk / Rear derailleur	Shimano Deore M6000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 44-32
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540204035	sand/coral/black
MTB Hardtail 27.5"	38 cm	4540204038	sand/coral/black
MTB Hardtail 27.5"	41 cm	4540204041	sand/coral/black
MTB Hardtail 27.5"	44 cm	4540204044	sand/coral/black
MTB Hardtail 27.5"	47 cm	4540204047	sand/coral/black

SPORT HARDTAIL LADIES

SDURO
HARDSEVEN LIFE 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air LO-R Lockout, air, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540198035	titan/turquoise/blue
MTB Hardtail 27.5"	38 cm	4540198038	titan/turquoise/blue
MTB Hardtail 27.5"	41 cm	4540198041	titan/turquoise/blue
MTB Hardtail 27.5"	44 cm	4540198044	titan/turquoise/blue
MTB Hardtail 27.5"	47 cm	4540198047	titan/turquoise/blue

SPORT HARDTAIL LADIES

SDURO
HARDSEVEN LIFE 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M276, aluminium
Bremse vorne / Brake front	Tektro M276, aluminium, 180mm
Bremse hinten / Brake rear	Tektro M276, aluminium, 180mm
Reifen / Tyres	XLC MountainX, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle + Lady
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540186035	kingston/coral/black
MTB Hardtail 27.5"	38 cm	4540186038	kingston/coral/black
MTB Hardtail 27.5"	41 cm	4540186041	kingston/coral/black
MTB Hardtail 27.5"	44 cm	4540186044	kingston/coral/black
MTB Hardtail 27.5"	47 cm	4540186047	kingston/coral/black

SPORT HARDTAIL LADIES

SDURO HARDSEVEN LIFE 1.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM DS, steel spring, Travel: 120mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M276, aluminium
Bremse vorne / Brake front	Tektro M276, aluminium, 180mm
Bremse hinten / Brake rear	Tektro M276, aluminium, 180mm
Reifen / Tyres	XLC MountainX, 57-584
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle + Lady
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **27,5”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4540180035	tuscan/red/black
MTB Hardtail 27.5"	38 cm	4540180038	tuscan/red/black
MTB Hardtail 27.5"	41 cm	4540180041	tuscan/red/black
MTB Hardtail 27.5"	44 cm	4540180044	tuscan/red/black
MTB Hardtail 27.5"	47 cm	4540180047	tuscan/red/black

ELECMOVE
bicicletas eléctricas · electric bikes

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT HARDTAIL KIDS

SDURO

HARDFOUR

SDURO HARDFOUR 1.0

SPORT HARDTAIL KIDS

SDURO HARDFOUR 1.0

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 32
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M282, aluminium
Bremse vorne / Brake front	Tektro M282, 160mm
Bremse hinten / Brake rear	Tektro M282, 160mm
Reifen / Tyres	Schwalbe Table Top Performance, 57-507
Felgen / Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 640mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Wellgo LU984DU
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

ePerformance

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **24”**

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 24"	34 cm	4540000034	lime/titan/black

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT TOURING

SDURO

TREKKING CROSS

SDURO TREKKING 8.0
SDURO TREKKING 7.0
SDURO TREKKING 6.0
SDURO TREKKING 5.0
SDURO TREKKING 4.0
SDURO TREKKING 3.0
SDURO TREKKING 2.5
SDURO TREKKING 2.0
SDURO TREKKING 1.0

SDURO CROSS 5.0

SPORT TOURING

SDURO TREKKING 8.0

TOP RANGE

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano M8100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano SLX M7100, 10-51 teeth
Kette / Chain	KMC e11S
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **27,5”** **eConnect** **MRS**

RANGE EXTENDER OPTION
500Wh + 500Wh = 1.000Wh

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4540432048	black/kingston/red
Men	27.5"	52 cm	4540432052	black/kingston/red
Men	27.5"	56 cm	4540432056	black/kingston/red
Men	27.5"	60 cm	4540432060	black/kingston/red
Men	27.5"	64 cm	4540432064	black/kingston/red
Women	27.5"	44 cm	4540433044	black/kingston/red
Women	27.5"	48 cm	4540433048	black/kingston/red
Women	27.5"	52 cm	4540433052	black/kingston/red
Women	27.5"	56 cm	4540433056	black/kingston/red

SPORT TOURING

SDURO TREKKING 7.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano SLX M7000, 11-speed
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	KMC e11S
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Bosch Performance CX, 250W, 75Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **27,5”** **MRS**

RANGE EXTENDER OPTION
500Wh + 500Wh = 1.000Wh

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4540426048	black/turquoise/antracite
Men	27.5"	52 cm	4540426052	black/turquoise/antracite
Men	27.5"	56 cm	4540426056	black/turquoise/antracite
Men	27.5"	60 cm	4540426060	black/turquoise/antracite
Men	27.5"	64 cm	4540426064	black/turquoise/antracite
Women	27.5"	44 cm	4540427044	black/turquoise/antracite
Women	27.5"	48 cm	4540427048	black/turquoise/antracite
Women	27.5"	52 cm	4540427052	black/turquoise/antracite
Women	27.5"	56 cm	4540427056	black/turquoise/antracite

SPORT TOURING

SDURO TREKKING 6.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Travel: 75mm, Aluschaft 1 1/8 - 1 1/2'' tapered, thru-axle
Umwerfer / Front derailleur	Shimano Deore XT T8000
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 48-36
Bremshebel / Brake lever	Shimano Deore XT T8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Bremse hinten / Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400
Hinterradnabe / Rear wheel hub	Shimano M4050
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **27,5”** **MRS**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28”	48 cm	4540420048	black/bronce/titan
Men	28”	52 cm	4540420052	black/bronce/titan
Men	28”	56 cm	4540420056	black/bronce/titan
Men	28”	60 cm	4540420060	black/bronce/titan
Men	28”	64 cm	4540420064	black/bronce/titan
Women	28”	44 cm	4540421044	black/bronce/titan
Women	28”	48 cm	4540421048	black/bronce/titan
Women	28”	52 cm	4540421052	black/bronce/titan
Women	28”	56 cm	4540421056	black/bronce/titan

SPORT TOURING

SDURO TREKKING 5.0

TOP RANGE

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore XT T8000
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 48-36
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Tyrago K-Guard, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano M3050
Hinterradnabe / Rear wheel hub	Shimano M3050
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Alloy 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **28”** **MRS**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540417048	blue/orange/titan
Men	28"	52 cm	4540417052	blue/orange/titan
Men	28"	56 cm	4540417056	blue/orange/titan
Men	28"	60 cm	4540417060	blue/orange/titan
Men	28"	64 cm	4540417064	blue/orange/titan
Women	28"	44 cm	4540418044	blue/orange/titan
Women	28"	48 cm	4540418048	blue/orange/titan
Women	28"	52 cm	4540418052	blue/orange/titan
Women	28"	56 cm	4540418056	blue/orange/titan

TOP RANGE

Trekking 4.0

ELECMOVE
bicicletas eléctricas · electric bikes

KEY TECH

- Neuer YAMAHA PW-ST Motor
- Extra breite 27,5" Reifen
- Vollintegrierte (abnehmbare) Powertube mit 500 Wh
- Shimano Deore 10-Gang Schaltung, Shimano MT200 Scheibenbremsen
- Leichter AL Rahmen mit hoher Steifigkeit

BENEFITS

- YAMAHA PW-ST: verbessertes Handling und weniger Gewicht
- Pefekte Eigenschaften für sportives Fahren
- Entspannte Handling und SUV Feeling
- Sportives Haibike Image
- Stabilität, Komfort und Souveränität

- New YAMAHA PW-ST drive unit
- extra-wide 27.5” tires
- Fully integrated (removable) Powertube with 500 Wh
- Shimano Deore 10 spd. Shifting, Shimano MT200 disc brakes
- Lightweight alloy frame with high rigidity

- YAMAHA PW-ST: improved start assist characteristic & less weight
- Automatic support mode for sporty riding
- Smooth-riding and SUV feeling
- Sportive Haibike image
- Stability, comfort and confidence

SPORT TOURING

SDURO TREKKING 4.0

Abb. ähnlich / Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM ATB HLO Lockout, steel spring, Travel: 67mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC X10
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT200
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano M3050
Hinterradnabe / Rear wheel hub	Shimano M3050
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh | **YAMAHA** | **27,5”** | **MRS**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540414048	sand/black/red
Men	28"	52 cm	4540414052	sand/black/red
Men	28"	56 cm	4540414056	sand/black/red
Men	28"	60 cm	4540414060	sand/black/red
Men	28"	64 cm	4540414064	sand/black/red
Women	28"	44 cm	4540415044	sand/black/red
Women	28"	48 cm	4540415048	sand/black/red
Women	28"	52 cm	4540415052	sand/black/red
Women	28"	56 cm	4540415056	sand/black/red

SPORT TOURING

SDURO TREKKING 3.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh **BOSCH** **28”**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540408048	blue/white/black
Men	28"	52 cm	4540408052	blue/white/black
Men	28"	56 cm	4540408056	blue/white/black
Men	28"	60 cm	4540408060	blue/white/black
Men	28"	64 cm	4540408064	blue/white/black
Women	28"	40 cm	4540409040	blue/white/black
Women	28"	44 cm	4540409044	blue/white/black
Women	28"	48 cm	4540409048	blue/white/black
Women	28"	52 cm	4540409052	blue/white/black
Women	28"	56 cm	4540409056	blue/white/black

SPORT TOURING

SDURO TREKKING 2.5

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Alivio M4000, 9-speed
Schalthebel / Shift lever	Shimano Alivio M4000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-SE System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh **YAMAHA** **28”** **MRS**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540405048	titan/black/lime
Men	28"	52 cm	4540405052	titan/black/lime
Men	28"	56 cm	4540405056	titan/black/lime
Men	28"	60 cm	4540405060	titan/black/lime
Men	28"	64 cm	4540405064	titan/black/lime
Women	28"	44 cm	4540406044	titan/black/lime
Women	28"	48 cm	4540406048	titan/black/lime
Women	28"	52 cm	4540406052	titan/black/lime
Women	28"	56 cm	4540406056	titan/black/lime

SPORT TOURING

SDURO TREKKING 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Deore M6000, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG500, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **28”**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540402048	silver/black/red
Men	28"	52 cm	4540402052	silver/black/red
Men	28"	56 cm	4540402056	silver/black/red
Men	28"	60 cm	4540402060	silver/black/red
Men	28"	64 cm	4540402064	silver/black/red
Women	28"	40 cm	4540403040	silver/black/red
Women	28"	44 cm	4540403044	silver/black/red
Women	28"	48 cm	4540403048	silver/black/red
Women	28"	52 cm	4540403052	silver/black/red
Women	28"	56 cm	4540403056	silver/black/red

SPORT TOURING

SDURO TREKKING 1.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Acera M360, 8-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Zahnkranz (hinten) / Sprocket	SunRace CSM55, 11-34 teeth
Kette / Chain	KMC X8
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Schwalbe Road Cruiser, 42-622, reflex
Felgen / Rims	Ryde Zac421, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	system carrier, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	23.4kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerPack 400Wh
Ladegerät / Charger	Bosch compact charger 2A

400Wh **BOSCH** **28”**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540390948	black/titanium/grey matt
Men	28"	52 cm	4540390952	black/titanium/grey matt
Men	28"	56 cm	4540390956	black/titanium/grey matt
Men	28"	60 cm	4540390960	black/titanium/grey matt
Men	28"	64 cm	4540390964	black/titanium/grey matt
Women	28"	40 cm	4540391940	black/titanium/grey matt
Women	28"	44 cm	4540391944	black/titanium/grey matt
Women	28"	48 cm	4540391948	black/titanium/grey matt
Women	28"	52 cm	4540391952	black/titanium/grey matt
Women	28"	56 cm	4540391956	black/titanium/grey matt

SPORT TOURING

SDURO CROSS 5.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore XT T8000
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 48-36
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Smart Sam, 47-622
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano M3050
Hinterradnabe / Rear wheel hub	Shimano M3050
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Alloy 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

ePerformance

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **28”** **MRS**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540444048	blue/orange/titan
Men	28"	52 cm	4540444052	blue/orange/titan
Men	28"	56 cm	4540444056	blue/orange/titan
Men	28"	60 cm	4540444060	blue/orange/titan
Men	28"	64 cm	4540444064	blue/orange/titan
Women	28"	44 cm	4540445044	blue/orange/titan
Women	28"	48 cm	4540445048	blue/orange/titan
Women	28"	52 cm	4540445052	blue/orange/titan
Women	28"	56 cm	4540445056	blue/orange/titan

ELECMOVE
bicicletas eléctricas · electric bikes

ePerformance

SPORT TOURING 45 KM/H

SDURO

TREKKING S

SDURO TREKKING S 9.0
SDURO TREKKING S 8.0

SPORT TOURING 45KM/H

SDURO TREKKING S 9.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount
Gabel / Fork	SR Suntour Mobie 45 Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	KMC e11S
Kettenblatt / Chainring	stainless steel, Haibike CNC sprocket, 20
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Sport bo2 lock on grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 31.6mm
Pedale / Pedals	Wellgo C29
Scheinwerfer / Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rücklicht / Rear light	Busch & Müller Toplight Line E Brake
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	26.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

ePerformance

Motor	Bosch Performance Speed, 350W, 60Nm, 45km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch Standard Charger 4A

500Wh | **BOSCH** | **27,5”** | **MRS** | **45km/h**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	27.5"	48 cm	4540510948	black/titan/red matt
Men	27.5"	52 cm	4540510952	black/titan/red matt
Men	27.5"	56 cm	4540510956	black/titan/red matt
Men	27.5"	60 cm	4540510960	black/titan/red matt
Men	27.5"	64 cm	4540510964	black/titan/red matt
Women	27.5"	44 cm	4540511944	black/titan/red matt
Women	27.5"	48 cm	4540511948	black/titan/red matt
Women	27.5"	52 cm	4540511952	black/titan/red matt
Women	27.5"	56 cm	4540511956	black/titan/red matt

SPORT TOURING 45KM/H

SDURO TREKKING S 8.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour MT E45 LO-R Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Umwerfer / Front derailleur	Shimano Deore XT T781
Schaltwerk / Rear derailleur	Shimano Deore XT T8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	aluminium, 48-36
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Energizer Plus, 47-622, puncture protection, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Sport bo2 lock on grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 31.6mm
Pedale / Pedals	Wellgo C29
Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Rücklicht / Rear light	Busch & Müller Toplight Line E Brake
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	24.3kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

ePerformance

Motor	Yamaha PW-System, 500W, 45km/h
Display	Yamaha LCD
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh **YAMAHA** **28”** **45km/h**

Varianten / Variations

ARTIKELNUMMER / ORDER NUMBER

Men	28"	48 cm	4540504948	black/titan/red matt
Men	28"	52 cm	4540504952	black/titan/red matt
Men	28"	56 cm	4540504956	black/titan/red matt
Men	28"	60 cm	4540504960	black/titan/red matt
Men	28"	64 cm	4540504964	black/titan/red matt
Women	28"	40 cm	4540505940	black/titan/red matt
Women	28"	44 cm	4540505944	black/titan/red matt
Women	28"	48 cm	4540505948	black/titan/red matt
Women	28"	52 cm	4540505952	black/titan/red matt
Women	28"	56 cm	4540505956	black/titan/red matt

ELECMOVE
bicicletas eléctricas · electric bikes

SEET
HARDSEVEN 2.5 STREET

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	Shimano Tourney TX805, 160mm
Bremse hinten / Brake rear	Shimano Tourney TX805, 160mm
Reifen / Tyres	Mitas Ocelot Reflective, 50x584, reflex
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	Trelock LS232, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Schutzbleche / Fenders	Festmontage Polycarbonat, plastic
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100060935	black/red/white matt
MTB Hardtail 27.5"	40 cm	4100060940	black/red/white matt
MTB Hardtail 27.5"	45 cm	4100060945	black/red/white matt
MTB Hardtail 27.5"	50 cm	4100060950	black/red/white matt

SEET HARDTAIL

SEET HARDSEVEN 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	Tektro MD-M280, 160mm
Bremse hinten / Brake rear	Tektro MD-M280, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	15.2kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100054935	red/black/white matt
MTB Hardtail 27.5"	40 cm	4100054940	red/black/white matt
MTB Hardtail 27.5"	45 cm	4100054945	red/black/white matt
MTB Hardtail 27.5"	50 cm	4100054950	red/black/white matt

SEET
HARDSEVEN 1.5 STREET

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, V-brake
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot Reflective, 50x584, reflex
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TY500

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	Trelock LS232, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Schutzbleche / Fenders	Festmontage Polycarbonat, plastic
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100048935	black/blue/titanium
MTB Hardtail 27.5"	40 cm	4100048940	black/blue/titanium
MTB Hardtail 27.5"	45 cm	4100048945	black/blue/titanium
MTB Hardtail 27.5"	50 cm	4100048950	black/blue/titanium

SEET HARDTAIL

SEET HARDNINE 6.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	RockShox Recon TK Remote Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore XT M8025
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 22-speed
Schalthebel / Shift lever	Shimano Deore XT M8000, rapidfire
Kettenradgarnitur / Crankset	Shimano MT600, aluminium, 26-36 teeth
Innenlager / Bottom bracket	Shimano BB52, BSA
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-42 teeth
Kette / Chain	Sram PC1110
Bremshebel / Brake lever	Shimano MT400, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 160mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 160mm
Reifen / Tyres	Schwalbe Rapid Rob, 57-622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle +
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100150940	titanium/bronze/black
MTB Hardtail 29"	45 cm	4100150945	titanium/bronze/black
MTB Hardtail 29"	50 cm	4100150950	titanium/bronze/black
MTB Hardtail 29"	55 cm	4100150955	titanium/bronze/black

SEET HARDNINE 5.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air RL-R Remote Lockout, air, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Deore M610
Schaltwerk / Rear derailleur	Shimano Deore M6000, 30-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Kettenradgarnitur / Crankset	Shimano Deore M6000, aluminium, 22-40 teeth
Innenlager / Bottom bracket	Shimano BB52, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG5010, 11-36 teeth
Kette / Chain	KMC X10
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 160mm
Reifen / Tyres	Schwalbe Rapid Rob, 57-622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100144940	blue/white/orange
MTB Hardtail 29"	45 cm	4100144945	blue/white/orange
MTB Hardtail 29"	50 cm	4100144950	blue/white/orange
MTB Hardtail 29"	55 cm	4100144955	blue/white/orange

SEET HARDTAIL

SEET HARDNINE 4.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Acera M3000
Schaltwerk / Rear derailleur	Shimano Deore M592, 27-speed
Schalthebel / Shift lever	Shimano Acera M3000, rapidfire
Kettenradgarnitur / Crankset	Shimano MT210-3, aluminium, 22-40 teeth
Innenlager / Bottom bracket	Shimano BB52, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG201, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 160mm
Reifen / Tyres	Mitas Ocelot, 54x622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100138940	grey/green/black
MTB Hardtail 29"	45 cm	4100138945	grey/green/black
MTB Hardtail 29"	50 cm	4100138950	grey/green/black
MTB Hardtail 29"	55 cm	4100138955	grey/green/black

SEET
HARDNINE 3.5 STREET

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Altus M313
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Mitas Ocelot Reflective, 50x622, reflex
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Scheinwerfer / Headlight	Trelock LS232, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Schutzbleche / Fenders	Festmontage Polycarbonat, plastic
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100132940	grey/white/black
MTB Hardtail 29"	45 cm	4100132945	grey/white/black
MTB Hardtail 29"	50 cm	4100132950	grey/white/black
MTB Hardtail 29"	55 cm	4100132955	grey/white/black

SEET HARDTAIL

SEET HARDNINE 3.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Altus M313
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Mitas Ocelot, 54x622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

Varianten / Variants

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100126940	grey/white/black
MTB Hardtail 29"	45 cm	4100126945	grey/white/black
MTB Hardtail 29"	50 cm	4100126950	grey/white/black
MTB Hardtail 29"	55 cm	4100126955	grey/white/black
MTB Hardtail 29"	40 cm	4100128940	lime/black/grey
MTB Hardtail 29"	45 cm	4100128945	lime/black/grey
MTB Hardtail 29"	50 cm	4100128950	lime/black/grey
MTB Hardtail 29"	55 cm	4100128955	lime/black/grey

SEET
HARDNINE 2.5 STREET

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	Shimano Tourney TX805, 160mm
Bremse hinten / Brake rear	Shimano Tourney TX805, 160mm
Reifen / Tyres	Mitas Ocelot Reflective, 50x622, reflex
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Hinterradnabe / Rear wheel hub	Shimano TX505

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	Trelock LS232, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Schutzbleche / Fenders	Festmontage Polycarbonat, plastic
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100120940	black/red/white matt
MTB Hardtail 29"	45 cm	4100120945	black/red/white matt
MTB Hardtail 29"	50 cm	4100120950	black/red/white matt
MTB Hardtail 29"	55 cm	4100120955	black/red/white matt

SEET HARDTAIL

SEET HARDNINE 2.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	Tektro MD-M280, 160mm
Bremse hinten / Brake rear	Tektro MD-M280, 160mm
Reifen / Tyres	Mitas Ocelot, 54x622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100114940	black/red/white matt
MTB Hardtail 29"	45 cm	4100114945	red/black/white matt
MTB Hardtail 29"	50 cm	4100114950	red/black/white matt
MTB Hardtail 29"	55 cm	4100114955	red/black/white matt

SEET HARDNINE 1.5 STREET

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot Reflective, 50x622, reflex
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano Nexus hub dynamo C3000
Hinterradnabe / Rear wheel hub	Shimano TY500

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Scheinwerfer / Headlight	Trelock LS232, 20 lux
Rücklicht / Rear light	Herrmans H-Trace Mini, LED
Schutzbleche / Fenders	Festmontage Polycarbonat, plastic
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

29”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 29"	40 cm	4100108940	black/blue/titanium
MTB Hardtail 29"	45 cm	4100108945	black/blue/titanium
MTB Hardtail 29"	50 cm	4100108950	black/blue/titanium
MTB Hardtail 29"	55 cm	4100108955	black/blue/titanium

ELECMOVE
bicicletas eléctricas · electric bikes

Performance

HARDTAIL LADIES
SEET

HARDSEVEN LIFE

SEET HARDSEVEN LIFE 4.0
SEET HARDSEVEN LIFE 3.0
SEET HARDSEVEN LIFE 2.0

SEET HARDTAIL LADIES

SEET
HARDSEVEN LIFE 4.0

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Acera M3000
Schaltwerk / Rear derailleur	Shimano Deore M592, 27-speed
Schalthebel / Shift lever	Shimano Acera M3000, rapidfire
Kettenradgarnitur / Crankset	Shimano MT210-3, aluminium, 22-40 teeth
Innenlager / Bottom bracket	Shimano BB52, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG201, 11-34 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro HD-T276, 180mm
Bremse hinten / Brake rear	Tektro HD-T276, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle + Lady
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100168935	silver/lime/white
MTB Hardtail 27.5"	40 cm	4100168940	silver/lime/white
MTB Hardtail 27.5"	45 cm	4100168945	silver/lime/white
MTB Hardtail 27.5"	50 cm	4100168950	silver/lime/white

SEET HARDTAIL LADIES

SEET HARDSEVEN LIFE 3.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

3

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Altus M313
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	Shimano UN100, BSA
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle + Lady
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	VP VPE-993 plastic, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100162935	grey/coral/grey
MTB Hardtail 27.5"	40 cm	4100162940	grey/coral/grey
MTB Hardtail 27.5"	45 cm	4100162945	grey/coral/grey
MTB Hardtail 27.5"	50 cm	4100162950	grey/coral/grey

SEET HARDTAIL LADIES

SEET
HARDSEVEN LIFE 2.0

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano Tourney EF41, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF41
Bremse vorne / Brake front	Tektro MD-M280, 160mm
Bremse hinten / Brake rear	Tektro MD-M280, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	MTB-110 680mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle Lady
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

27,5”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 27.5"	35 cm	4100156935	white/turquoise/cyan matt
MTB Hardtail 27.5"	40 cm	4100156940	white/turquoise/cyan matt
MTB Hardtail 27.5"	45 cm	4100156945	white/turquoise/cyan matt
MTB Hardtail 27.5"	50 cm	4100156950	white/turquoise/cyan matt

Performance

HARDTAIL KIDS

SEET

HARDFOUR

SEET HARDFOUR 2.0
SEET HARDFOUR 1.0
SEET HARDFOUR LIFE 1.0

SEET HARDTAIL KIDS

SEET HARDFOUR 2.0

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour XCT JR, steel spring, Travel: 80mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Altus M310
Schaltwerk / Rear derailleur	Shimano Altus M310, 24-speed
Schalthebel / Shift lever	Shimano Altus M310, rapidfire
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	CH63-2, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z72
Bremshebel / Brake lever	Tektro M282, aluminium
Bremse vorne / Brake front	Tektro M282, 160mm
Bremse hinten / Brake rear	Tektro M282, 160mm
Reifen / Tyres	CST C-1807 Ouster, 57-507
Felgen / Rims	XLC X-430 D-WALL, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 560mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	11.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 24"	30 cm	4100042930	blue/blue/red

SEET HARDFOUR 1.0

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	CH63-2, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot, 54x507
Felgen / Rims	XLC FREEWAY D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	KT A1ER

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 560mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	12.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 24"	30 cm	4100030930	white/anthracite/red

SEET HARDTAIL KIDS

SEET
HARDFOUR LIFE 1.0

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	CH63-2, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot, 54x507
Felgen / Rims	XLC FREEWAY D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	KT A1ER

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 560mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 24"	30 cm	4100036930	white/red/anthracite

Performance

KIDS 20"/16"

SEET

GREEDY

SEET GREEDY 20 SF
SEET GREEDY 20
SEET GREEDY LIFE 20
SEET GREEDY 16
SEET GREEDY LIFE 16

SEET KIDS

SEET GREEDY 20" SF

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, V-brake
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 7-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot, 54x406
Felgen / Rims	XLC 6063-T5, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 540mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	11.1kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 20"	26 cm	4100012926	red/yellow/black

SEET GREEDY 20"

ELECMOVE
bicicletas eléctricas · electric bikes

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, V-brake
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 7-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot, 54x406
Felgen / Rims	XLC 6063-T5, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 540mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	10.3kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 20"	26 cm	4100018926	red/yellow/black

SEET KIDS

SEET
GREEDY LIFE 20"

Abb. ähnlich/
Illustration similar

2

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061, V-brake
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 7-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	Mitas Ocelot, 54x406
Felgen / Rims	XLC 6063-T5, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 540mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	10.3kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 20"	26 cm	4100024926	white/coral/silver

SEET GREEDY 16"

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Kettenradgarnitur / Crankset	32 teeth
Innenlager / Bottom bracket	SF-BB08, BSA
Zahnkranz (hinten) / Sprocket	pinion, 18 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	coaster brake, coaster brake
Reifen / Tyres	CST C-1382N, 57-305 / Mitas Ocelot Reflective, 50x584, reflex
Felgen / Rims	XLC STRONG P26, aluminium
Vorderradnabe / Front wheel hub	aluminium hub SF-HB29
Hinterradnabe / Rear wheel hub	coaster brake hub

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 480mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Promax MA-50, A-head, Bar bore: 31.8mm
Steuersatz / Headset	CH 281
Sattel / Saddle	Haibike Components TheSaddle Kids
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Pedale / Pedals	kids' pedal plastic, non-slip
Schutzbleche / Fenders	plastic
Kettenschutz / Chain guard	full chain case
Gewicht / Weight	8.6kg
Zul. Gesamtgewicht / Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers

16”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 16"	21 cm	4100000921	blue/black/lime

SEET KIDS

SEET
GREEDY LIFE 16"

Abb. ähnlich/
Illustration similar

Spezifikationen / Specifications

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Kettenradgarnitur / Crankset	32 teeth
Innenlager / Bottom bracket	SF-BB08, BSA
Zahnkranz (hinten) / Sprocket	pinion, 18 teeth
Kette / Chain	KMC S1
Bremshebel / Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	coaster brake, coaster brake
Reifen / Tyres	CST C-1382N, 57-305
Felgen / Rims	XLC STRONG P26, aluminium
Vorderradnabe / Front wheel hub	aluminium hub SF-HB29
Hinterradnabe / Rear wheel hub	coaster brake hub

Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 480mm
Griffe / Grips	876TM KRATON
Vorbau / Stem	Promax MA-50, A-head, Bar bore: 31.8mm
Steuersatz / Headset	CH 281
Sattel / Saddle	Haibike Components TheSaddle Kids
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Pedale / Pedals	kid's pedal plastic, non-slip
Schutzbleche / Fenders	plastic
Kettenschutz / Chain guard	full chain case
Gewicht / Weight	8.6kg
Zul. Gesamtgewicht / Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers

16”

ARTIKELNUMMER / ORDER NUMBER

MTB Hardtail 16"	21 cm	4100006921	pink/white/blue

FAHRZEUGKATEGORIEN
CATEGORIES OF VEHICLES

Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12“ und Kinderräder 12“ und 16“.
Vehicles in category 0 are usually 12” children’s play bikes and 12” and 16” children’s bikes.

Fahrzeuge der Kategorie 1 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike).
Vehicles in category 1 are usually bikes, Pedelecs and S-Pedelecs that are racing bikes or fitness bikes (urban bikes).

Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs City-, Trekking-, Cross-Trekking- oder Lastenrad, außerdem Jugendräder 24“ und Kinderräder 20“.
Vehicles in category 2 are usually bikes, Pedelecs and S-Pedelecs that are city, trekking, cross-trekking or cargo bikes, as well as 24” bikes for young people and 20” children’s bikes.

Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Cyclo-Cross und All Track.
Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Cyclo-Cross and All Track bikes.

Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain.
Vehicles in category 4 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for all mountain riding.

Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/Downhill.
Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding.

Bitte lesen Sie die Betriebsanleitungen.
Please read the operating instructions.

ELECMOVE
bicicletas eléctricas · electric bikes

WE ARE ePERFORMANCE

WE ARE POWER

FLYON - Next generation ePerformance

Volle Performance und ein smartes Handling, dazu die Ästhetik eines athletischen Kraftpakets: FLYON spricht eine ikonische Designsprache, die das Thema Integration auf ein neues Level hebt. Alle Komponenten wurden von HAIBIKE entwickelt und fügen sich in ein System, das unsere Markenwerte verkörpert: Power, Mut und Innovation

FLYON - Next generation ePerformance

Full performance and a smart handling, plus the aesthetics of an athletic power pack: FLYON speaks an iconic design language that raises integration to a new level. All components were developed by HAIBIKE and fit into a system that embodies our brand values: power, courage and innovation.

ELECMOVE
FLYON e-PERFORMANCE SYSTEM
bicicletas eléctricas · electric bikes

NDURO 10.0
NDURO 8.0
NDURO 5.0
ALLMTN 10.0
ALLMTN 8.0
ALLMTN 5.0
ALLTRAIL 6.0
ALLTRAIL 5.0
ADVENTR 6.0
ADVENTR 5.0

FLYON
ePERFORMANCE SYSTEM

ELECMOVE
bicicletas eléctricas · electric bikes

ELECMOVE
bicicletas eléctricas · electric bikes

SCHNELLER STÄRKER STEILER GEILER

ELECMOVE
bicicletas eléctricas · electric bikes

HPR120S

Carbon Frame

Battery 630Wh

The Display

The Remote

Skybeamer 5000

Twin TailLights

Speed sensor disc

ELECMOVE
bicicletas eléctricas · electric bikes

= GREATER THAN THE SUM OF IT'S PARTS

FLYON:
HAIBIKE
ePERFORMANCE
SYSTEM

ELECMOVE
bicicletas eléctricas · electric bikes

eCONNECT 2.0

eCONNECT

Smartphones mit Internetzugang sind aus unserem Alltag nicht mehr wegzudenken. Wer will, kann sich heute in Sekundenschnelle von Schweinfurt bis ans andere Ende der Welt verbinden – warum dann nicht auch das Fahrrad vernetzen?

Nach der erfolgreichen ersten Auflage des eConnect Systems folgt nun die Weiterentwicklung: **eConnect 2.0 mit modernem Design, einer nutzerfreundlichen Oberfläche und erweiterten Features.**

Smartphones with internet access are an integral part of our daily lives. Anyone who wants can now connect in seconds from Schweinfurt to the other end of the world – why not connect your bike?

Following the successful first edition of the eConnect system, the further developed version follows: **eConnect 2.0, with a modern design, a user-friendly interface and extended features.**

ELECMOVE
bicicletas eléctricas · electric bikes

THEFT PROTECTION & TRACKING

- Free update for the eConnect 2.0 App
- Your bike can call for help if needed
- Automatic notification in case of theft
- Improved route recording
- Compact on-board-unit as interface
- Cooperation with Deutsche Telekom

S.O.S. CRASH NOTIFICATION

VERSATILITY

1125WH DUAL BATTERY

As well as the hardtail models, every Full suspension frame size can now fit a range extender battery, creating an incredibly versatile all rounder!

EFFICIENT USE OF ENERGY

Optimum and improved efficiency of motor and gearbox in order to conquer long, steep climbs.



1125 Wh FULL SUSPENSION MODELS =

Unsere neuen Bosch Gen 4 Modelle sind erschwingliche und schnelle Allrounder, die dich mit einer unglaublichen Reichweite in jedem Terrain antreiben.

Mit dem DualBattery System kannst Du deine Reichweite von 625Wh auf insgesamt 1125Wh Kapazität steigern. Ein einfaches Handling garantiert dabei unser Modular Rail System (MRS), über das ein Range Extender an allen Fullsuspension und Hardtail eBikes in allen Rahmengrößen installiert werden kann.

- Vollintegrierte Kabelführung
- Integrierter Speedsensor und Dropper-Seatpost
- Vollintegrierter und abnehmbarer PowerTube-Akku PT625Wh
- Zuverlässiger und robuster Aluminium-Rahmen mit erhöhten Steifigkeitswerten
- TTL (TwinTailLights) ready
- 27.5+ / 29+ / mixed-wheels
- Leichter und kleiner: neuer Bosch Performance CX Antrieb

Our 2020 Bosch Gen 4 models are affordable, fast allrounders that can cover long distances on a wide range of terrains.

A total of 625Wh + 500Wh = 1125Wh available on every frame size of hardtail and full fuspension with the range extender mounted on the Modular rail system!

- Full integrated cable routing in front & rear triangle
- Integrated speedsensor and dropper-seatpost
- Fully integrated removable Powertube PT625 Wh
- Reliable and robust AL frame with increased stiffness
- TTL (TwinTailLights) ready
- 27.5+ / 29+ / mixed-wheels
- Lighter and smaller new Bosch Performance CX drive unit

BOSCH GEN 4

ELECMOVE
bicicletas eléctricas · electric bikes

RIDE AS LONG AS YOU LIKE, ON ANY TERRAIN YOU LIKE!

#letsgohaibiking
#weareeperformance

ELECMOVE
bicicletas eléctricas · electric bikes

FURTHER, SMOOTH-ER

Der neue Bosch Gen 4 Motor ist kleiner und leichter. Er ermöglicht unseren Designern, eBikes mit kürzeren Kettenstreben zu entwickeln und ermöglicht so mehr Flexibilität und Verspieltheit.

Der niedrige Pedalwiderstand ermöglicht ein effizienteres Fahren und sorgt für ein natürlicheres Fahrgefühl.

Das neue Bosch Gen 4 System verfügt über einen neuen eMTB-Modus mit optimierten Fahreigenschaften.

Dank des Multisensoren-Konzepts ermöglicht das dynamische und reaktionsschnelle Antriebssystem eine präzise Beschleunigung und ein einzigartiges Trailerlebnis.

The smaller Bosch Gen 4 motor allowed our designers to create a bike with shorter chainstays, and therefore increased maneuverability and playfulness.

The reduced pedling resistance allows for more efficient riding and a more natural riding sensation.

The Bosch Gen 4 system comes with a new and improved eMTB mode with optimized riding characteristics.

The multi-sensor concept enables a dynamic and responsive drive unit for precise acceleration and a unique trail experience.

340%
Max support

75 Nm
Max torque

25 km/h Cruise
Sustained support

NEW FRAME CONCEPT

Extrem niedriger Schwerpunkt, erhöhte Steifigkeitswerte und überragende Agilität. Extremly low center of gravity, increased stiffness & superior agility.

RANGE EXTENDER OPTION

Jetzt erhältlich für alle Bosch Perfomance CX Gen4 Full-suspension Bikes in allen Rahmengrößen. Now available for all Bosch Perfomance CX Gen4 fullsuspension bikes for all frame sizes.

FULL FLEXIBILITY IN BATTERY CAPACITY

625 Wh + 500 Wh = 1125 Wh

ELECMOVE
bicicletas eléctricas · electric bikes

MODULAR RAIL SYSTEM

THE RANGE EXTENDER

Unser patentiertes Modular Rail System ermöglicht es verschiedenes Zubehör schnell und einfach am Bike zu befestigen.

Eine Befestigungsschiene ist an der Oberseite des Unterrohrs integriert, in der z. B. eine Trinkflasche oder Tasche an frei wählbarer Position montiert werden kann. Somit haben Sie alle Utensilien, die Sie während einer Fahrt benötigen, immer in Griffweite.

Our patented Modular Rail System allows various accessories to be attached to your bike quickly and easily.

A fastening rail is integrated into the upper side of the down tube and allows a drinking bottle or bag to be mounted in any desired position. This means the tools you need during a trip are always within reach.

THE MULTIMOUNT

ELECMOVE
bicicletas eléctricas · electric bikes

THE BOTTLE

THE RAILBAG S

TRELOCK

THE RAIL LOCK

ELECMOVE
bicicletas eléctricas · electric bikes

GEOMETRIES & DATA CHARTS

GEOMETRIES AND DATA CHARTS

XDURO ____ 151

SDURO ____ 153

SEET ____ 159

RAHMENGEOMETRIEN



A SITZROHRLÄNGE
SEATTUBE LENGTH

B SITZROHRWINKEL
SEATTUBE ANGLE

C SITZROHROFFSET
SEATTUBE OFFSET

D SITZWINKEL
SEAT ANGLE

E STEUERROHRLÄNGE
HEADTUBE LENGTH

F LENKWINKEL
HEADTUBE ANGLE

G OBERROHRLÄNGE HORIZONTAL
TOPTUBE LENGTH HORIZONTAL

H KETTENSTREBENLÄNGE
CHAINSTAY LENGTH

I TRETLAGERABSENKUNG
BB DROP

J RADSTAND
WHEELBASE

K STACK
STACK

L REACH
REACH

XDURO DWNHLL

		S	M	L	XL
Seattube Length [mm]	A	420	430	440	450
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	16	16	16	16
Seat Angle [°]	D	75,5	75,5	75,5	75,5
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	63	63	63	63
Toptube length [mm]	G	560	585	610	635
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	15	15	15	15
Wheelbase [mm]	J	1245	1271	1297	1323
Stack [mm]	K	593	598	602	606
Reach [mm]	L	407	430	454	478

XDURO Dwnhll 8.0

XDURO NDURO

		S	M	L	XL
Seattube Length [mm]	A	420	440	460	480
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	75	75	75	75
Headtube Length [mm]	E	110	110	130	130
Headtube Angle [°]	F	64	64	64	64
Toptube length [mm]	G	570	600	630	660
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	-5	-5	-5	-5
Wheelbase [mm]	J	1226	1256	1290	1320
Stack [mm]	K	594	594	612	612
Reach [mm]	L	412	442	467	497

XDURO NDURO 10.0 / 8.0

S	M	L	XL
420	440	460	480
74	74	74	74
12	12	12	12
75	75	75	75
110	110	130	130
64	64	64	64
570	600	630	660
470	470	470	470
-5	-5	-5	-5
1226	1256	1290	1320
594	594	612	612
412	442	467	497

XDURO NDURO 5.0

S	M	L	XL
420	440	460	480
74	74	74	74
10	10	10	10
75	75	75	75
120	125	130	135
65	65	65	65
570	590	610	630
450	450	450	450
15	15	15	15
1200	1221	1242	1262
593	598	602	607
410	429	448	466

XDURO NDURO 2.0

XDURO ALLMTN

		S	M	L	XL
Seattube Length [mm]	A	410	440	470	500
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	75	75	75	75
Headtube Length [mm]	E	110	110	130	130
Headtube Angle [°]	F	65,5	65,5	65,5	65,5
Toptube length [mm]	G	570	600	630	660
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	-25	-25	-25	-25
Wheelbase [mm]	J	1196	1226	1259	1289
Stack [mm]	K	629	629	647	647
Reach [mm]	L	402	432	457	487

XDURO AllMtn 10.0

S	M	L	XL
410	440	470	500
74	74	74	74
12	12	12	12
75	75	75	75
110	110	130	130
65,5	65,5	65,5	65,5
570	600	630	660
470	470	470	470
-25	-25	-25	-25
1196	1226	1259	1289
629	629	6477	647
402	432	457	487

XDURO AllMtn 8.0

S	M	L	XL
410	440	470	500
74	74	74	74
12	12	12	12
75	75	75	75
110	110	130	130
65,5	65,5	65,5	65,5
570	600	630	660
470	470	470	470
-25	-25	-25	-25
1196	1226	1259	1289
629	629	6477	647
402	432	457	487

XDURO AllMtn 5.0

Technische Ausstattungsänderungen und Irrtümer vorbehalten.
Subject to errors and changes in technical specification.

ELECMOVE
bicicletas eléctricas · electric bikes

XDURO — ALLMTN

		S	M	L	XL	S	M	L	XL
Seattube Length [mm]	A	410	440	470	500	410	440	470	500
Seattube Angle [°]	B	75	75	75	75	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0	10	10	10	10
Seat Angle [°]	D	75	75	75	75	75	75	75	75
Headtube Length [mm]	E	115	120	130	145	120	125	130	135
Headtube Angle [°]	F	65	65	65	65	66	66	66	66
Toptube length [mm]	G	566	587	619	653	570	590	610	630
Chainstay length [mm]	H	455	455	455	455	455	455	455	455
BB Drop [mm]	I	-20	-20	-20	-20	-10	-10	-10	-10
Wheelbase [mm]	J	1191	1213	1247	1284	1183	1204	1225	1246
Stack [mm]	K	624	628	637	651	610	615	620	624
Reach [mm]	L	399	419	448	479	405	424	443	461

XDURO AllMtn 3.0 / 3.5 — XDURO AllMtn 2.0

XDURO — FULLFATSIX / FATSIX

		S	M	L	S	M	L
Seattube Length [mm]	A	420	460	500	400	450	500
Seattube Angle [°]	B	74	74	74	73	73	73
Seattube Offset [mm]	C	10	10	10	0	0	0
Seat Angle [°]	D	75	75	75	73	73	73
Headtube Length [mm]	E	130	140	150	130	140	150
Headtube Angle [°]	F	68	68	68	68	68	68
Toptube length [mm]	G	590	610	630	580	610	640
Chainstay length [mm]	H	460	460	460	475	475	475
BB Drop [mm]	I	-20	-20	-20	-50	-50	-50
Wheelbase [mm]	J	1179	1200	1221	1150	1181	1212
Stack [mm]	K	617	626	635	636	646	655
Reach [mm]	L	424	441	458	385	413	440

XDURO FullFatSix 10.0 — XDURO FatSix 8.0

XDURO — ADVENTR / ALLTRAIL

		XS	S	M	L	XL	XS	S	M	L	XL
Seattube Length [mm]	A	440	480	520	560	600	380	420	460	500	540
Seattube Angle [°]	B	74	74	74	74	74	74	74	74	74	74
Seattube Offset [mm]	C	12	12	12	12	12	12	12	12	12	12
Seat Angle [°]	D	75	75	75	75	75	75	75	75	75	75
Headtube Length [mm]	E	110	130	130	150	150	110	110	110	130	130
Headtube Angle [°]	F	66	66	66	66	66	66	66	66	66	66
Toptube length [mm]	G	560	580	600	620	640	570	590	610	630	650
Chainstay length [mm]	H	465	465	465	465	465	465	465	465	465	465
BB Drop [mm]	I	-50	-50	-50	-50	-50	-35	-35	-35	-35	-35
Wheelbase [mm]	J	1157	1179	1199	1222	1242	1183	1203	1223	1246	1266
Stack [mm]	K	598	616	616	635	635	613	613	613	631	631
Reach [mm]	L	401	416	436	451	471	407	427	447	462	482

XDURO ADVENTR 6.0 / 5.0 — XDURO ALLTRAIL 6.0 / 5.0

SDURO

SDURO FULLSEVEN

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	580	600	620	640
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	-20	-20	-20	-20
Wheelbase [mm]	J	1157	1177	1198	1218
Stack [mm]	K	589	594	598	603
Reach [mm]	L	400	419	437	456

SDURO FullSeven 1.0

SDURO FULLSEVEN LT

		S	M	L	XL
Seattube Length [mm]	A	410	440	470	500
Seattube Angle [°]	B	75	75	75	75
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	75	75	75	75
Headtube Length [mm]	E	120	130	145	160
Headtube Angle [°]	F	66	66	66	66
Toptube length [mm]	G	560	573	596	630
Chainstay length [mm]	H	455	455	455	455
BB Drop [mm]	I	-20	-20	-20	-20
Wheelbase [mm]	J	1166	1180	1206	1242
Stack [mm]	K	619	628	642	655
Reach [mm]	L	394	405	424	454

SDURO FullSeven LT 8.0

		S	M	L	XL
Seattube Length [mm]	A	410	440	470	500
Seattube Angle [°]	B	75	75	75	75
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	75	75	75	75
Headtube Length [mm]	E	120	130	145	160
Headtube Angle [°]	F	66	66	66	66
Toptube length [mm]	G	560	573	596	630
Chainstay length [mm]	H	455	455	455	455
BB Drop [mm]	I	-20	-20	-20	-20
Wheelbase [mm]	J	1166	1180	1206	1242
Stack [mm]	K	619	628	642	655
Reach [mm]	L	394	405	424	454

SDURO FullSeven LT 7.0

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	68	68	68	68
Toptube length [mm]	G	560	585	610	635
Chainstay length [mm]	H	478	478	478	478
BB Drop [mm]	I	0	0	0	0
Wheelbase [mm]	J	1148	1174	1199	1225
Stack [mm]	K	617	622	626	631
Reach [mm]	L	371	395	419	442

SDURO FullSeven LT 6.0

SDURO FULLSEVEN LT

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	140	125	130	135
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	590	600	620	640
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	0	0	0	0
Wheelbase [mm]	J	1190	1198	1219	1239
Stack [mm]	K	625	612	616	621
Reach [mm]	L	399	413	432	450

SDURO FullSeven LT 5.0 / 4.0

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	68	68	68	68
Toptube length [mm]	G	560	585	610	635
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	0	0	0	0
Wheelbase [mm]	J	1136	1162	1187	1213
Stack [mm]	K	598	603	608	612
Reach [mm]	L	377	401	424	448

SDURO FullSeven LT 3.0 / 2.0

Technische Ausstattungsänderungen und Irrtümer vorbehalten.
Subject to errors and changes in technical specification.

SDURO FULLNINE

		S	M	L	XL	S	M	L	XL	S	M	L	XL
Seattube Length [mm]	A	410	440	470	500	410	440	470	500	400	440	480	520
Seattube Angle [°]	B	75	75	75	75	75	75	75	75	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0	10	10	10	10
Seat Angle [°]	D	75	75	75	75	75	75	75	75	75	75	75	75
Headtube Length [mm]	E	120	130	145	160	120	130	145	160	120	125	130	135
Headtube Angle [°]	F	66	66	66	66	66	66	66	66	67	67	67	67
Toptube length [mm]	G	565	565	565	565	565	565	565	565	570	590	610	630
Chainstay length [mm]	H	470	470	470	470	470	470	470	470	472	472	472	472
BB Drop [mm]	I	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40
Wheelbase [mm]	J	1184	1186	1188	1191	1184	1186	1188	1191	1174	1194	1215	1236
Stack [mm]	K	636	645	659	672	636	645	659	672	615	619	624	629
Reach [mm]	L	395	392	388	385	395	392	388	385	404	423	441	460

SDURO FullNine 8.0 | SDURO FullNine 7.0 | SDURO FullNine 6.0

SDURO FULLNINE

		S	M	L	XL	S	M	L	XL
Seattube Length [mm]	A	400	440	480	520	400	440	480	520
Seattube Angle [°]	B	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	130	125	130	135	120	125	130	135
Headtube Angle [°]	F	67	67	67	67	67	67	67	67
Toptube length [mm]	G	590	600	620	640	580	600	620	640
Chainstay length [mm]	H	495	495	495	495	490	490	490	490
BB Drop [mm]	I	-35	-35	-35	-35	-35	-35	-35	-35
Wheelbase [mm]	J	1197	1207	1227	1248	1175	1196	1216	1237
Stack [mm]	K	616	612	616	621	599	603	608	613
Reach [mm]	L	402	413	432	450	397	416	434	453

SDURO FullNine 5.0 / 4.0 | SDURO FullNine 3.0 / 2.0

SDURO HARDSEVEN

		S	M	L	XL	S	M	L	XL	XS	S	M	L	XL
Seattube Length [mm]	A	400	440	480	520	400	440	480	520	350	400	450	500	550
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	12	12	12	12	12	12	12	12	12
Seat Angle [°]	D	73	73	73	73	74	74	74	74	74	74	74	74	74
Headtube Length [mm]	E	125	130	135	140	120	125	130	135	115	120	125	130	135
Headtube Angle [°]	F	67	67	67	67	67	67	67	67	68	68	68	68	68
Toptube length [mm]	G	590	610	630	650	590	610	630	650	550	570	590	610	630
Chainstay length [mm]	H	445	445	445	445	460	460	460	460	460	460	460	460	460
BB Drop [mm]	I	-45	-45	-45	-45	-45	-45	-45	-45	-40	-40	-40	-40	-40
Wheelbase [mm]	J	1136	1157	1178	1198	1164	1184	1205	1225	1110	1131	1151	1171	1192
Stack [mm]	K	613	618	623	627	619	624	629	633	612	617	621	626	631
Reach [mm]	L	402	421	440	458	413	432	450	469	375	394	413	431	450

SDURO HardSeven 8.0 | SDURO HardSeven 7.0 / 6.0 / 5.0 / 1.5 | SDURO HardSeven 4.0 / 3.0 / 1.0

HAIBIKE
ELECMOVE
bicicletas eléctricas · electric bikes

SDURO HARDSEVEN

		XS	S	M	L	XL
Seattube Length [mm]	A	350	400	450	500	550
Seattube Angle [°]	B	73	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12	12
Seat Angle [°]	D	74	74	74	74	74
Headtube Length [mm]	E	140	120	125	130	135
Headtube Angle [°]	F	68	68	68	68	68
Toptube length [mm]	G	550	570	590	610	630
Chainstay length [mm]	H	460	460	460	460	460
BB Drop [mm]	I	-40	-40	-40	-40	-40
Wheelbase [mm]	J	1112	1131	1151	1171	1192
Stack [mm]	K	635	617	621	626	631
Reach [mm]	L	368	394	413	431	450

SDURO HardSeven 2.0

SDURO HARDNINE

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	125	130	135	140
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	590	610	630	650
Chainstay length [mm]	H	465	465	465	465
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1170	1191	1211	1232
Stack [mm]	K	647	651	656	660
Reach [mm]	L	405	423	442	461

SDURO HardNine 8.0

		S	M	L	XL
Seattube Length [mm]	A	400	440	480	520
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	590	610	630	650
Chainstay length [mm]	H	480	480	480	480
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1184	1205	1225	1246
Stack [mm]	K	635	639	644	649
Reach [mm]	L	408	427	446	464

SDURO HardNine 7.0 / 6.0 / 5.0 / 1.5

		S	M	L	XL
Seattube Length [mm]	A	400	450	500	550
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	590	610	630	650
Chainstay length [mm]	H	475	475	475	475
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1173	1194	1214	1235
Stack [mm]	K	631	636	640	645
Reach [mm]	L	410	428	447	465

SDURO HardNine 4.0 / 3.0 / 1.0

SDURO HARDNINE

		S	M	L	XL
Seattube Length [mm]	A	400	450	500	550
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	120	125	130	135
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	590	610	630	650
Chainstay length [mm]	H	475	475	475	475
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1173	1194	1214	1235
Stack [mm]	K	631	636	640	645
Reach [mm]	L	410	428	447	465

SDURO HardNine 2.0

Technische Ausstattungsänderungen und Irrtümer vorbehalten.
Subject to errors and changes in technical specification.

SDURO HARDFOUR

		UNI
Seattube Length [mm]	A	340
Seattube Angle [°]	B	73
Seattube Offset [mm]	C	0
Seat Angle [°]	D	73
Headtube Length [mm]	E	165
Headtube Angle [°]	F	68
Toptube length [mm]	G	500
Chainstay length [mm]	H	415
BB Drop [mm]	I	-30
Wheelbase [mm]	J	1000
Stack [mm]	K	556
Reach [mm]	L	330

SDURO HardFour 1.0

SDURO FULLSEVEN LIFE

		XS	S	M	L
Seattube Length [mm]	A	400	430	460	490
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	130	135	140	145
Headtube Angle [°]	F	67	67	67	67
Toptube length [mm]	G	560	580	600	620
Chainstay length [mm]	H	470	470	470	470
BB Drop [mm]	I	-20	-20	-20	-20
Wheelbase [mm]	J	1137	1158	1179	1199
Stack [mm]	K	595	600	605	609
Reach [mm]	L	378	397	415	434

SDURO FullSeven Life 1.0

SDURO FULLSEVEN LIFE LT

		S	M	L	XL	S	M	L	XL	S	M	L	XL
Seattube Length [mm]	A	410	440	470	500	400	430	460	490	400	430	460	490
Seattube Angle [°]	B	75	75	75	75	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0	0	0	0	0
Seat Angle [°]	D	75	75	75	75	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	120	130	145	160	140	135	140	145	130	135	140	145
Headtube Angle [°]	F	66	66	66	66	67	67	67	67	68	68	68	68
Toptube length [mm]	G	560	573	596	630	580	590	610	630	560	580	600	620
Chainstay length [mm]	H	455	455	455	455	470	470	470	470	470	470	470	470
BB Drop [mm]	I	-20	-20	-20	-20	0	0	0	0	0	0	0	0
Wheelbase [mm]	J	1166	1180	1206	1242	1179	1189	1209	1230	1137	1158	1179	1199
Stack [mm]	K	619	628	642	655	623	618	623	628	595	600	605	621
Reach [mm]	L	394	405	424	454	390	401	420	438	378	397	415	430

SDURO FullSeven Life LT 7.0 | SDURO FullSeven Life LT 4.0 | SDURO FullSeven Life LT 2.0

SDURO HARDSEVENLIFE

		S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL
Seattube Length [mm]	A	400	430	460	490	350	380	410	440	470	350	380	410	440	470
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Seat Angle [°]	D	74	74	74	74	74	74	74	74	74	74	74	74	74	74
Headtube Length [mm]	E	130	135	140	145	125	130	135	140	145	150	130	135	140	145
Headtube Angle [°]	F	67	67	67	67	68	68	68	68	68	68	68	68	68	68
Toptube length [mm]	G	580	600	620	640	550	570	590	610	630	550	570	590	610	630
Chainstay length [mm]	H	460	460	460	460	460	460	460	460	460	460	460	460	460	460
BB Drop [mm]	I	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40	-40
Wheelbase [mm]	J	1160	1180	1201	1221	1111	1131	1152	1172	1193	1113	1131	1152	1172	1193
Stack [mm]	K	626	631	635	640	621	626	631	635	640	645	626	631	635	640
Reach [mm]	L	401	420	438	457	373	391	410	428	447	365	391	410	428	447

SDURO HardSeven Life 6.0 / 5.0 | SDURO HardSeven Life 4.0 / 3.0 / 1.0 | SDURO HardSeven Life 2.0

SDURO

CROSS / TREKKING

		S	M	L	XL	XXL	S	M	L	XL
Seattube Length [mm]	A	480	520	560	600	640	440	480	520	560
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	1340	150	160	170	180	150	160	170	180
Headtube Angle [°]	F	68	68	68	68	68	68	68	68	68
Toptube length [mm]	G	585	595	610	625	640	585	595	610	625
Chainstay length [mm]	H	460	460	460	460	460	460	460	460	460
BB Drop [mm]	I	-60	-60	-60	-60	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1025	1136	1152	1168	1184	1126	1137	1153	1169
Stack [mm]	K	619	629	638	674	656	629	638	647	656
Reach [mm]	L	396	403	415	427	439	393	400	412	424

SDURO Trekking Gent 8.0 / 7.0 SDURO Trekk. Ladies 8.0 / 7.0

SDURO

CROSS / TREKKING

		S	M	L	XL	XXL	S	M	L	XL
Seattube Length [mm]	A	480	520	560	600	640	440	480	520	560
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	140	150	170	190	210	150	170	190	210
Headtube Angle [°]	F	70	70	70	70	70	70	70	70	70
Toptube length [mm]	G	580	595	610	625	640	580	595	610	625
Chainstay length [mm]	H	470	470	470	470	470	470	470	470	470
BB Drop [mm]	I	-60	-60	-60	-60	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1106	1122	1138	1154	1170	1107	1123	1139	1155
Stack [mm]	K	623	632	651	670	689	632	651	670	689
Reach [mm]	L	390	402	411	420	430	387	396	405	415

SDURO Trekking Gent 6.0 / 5.0 / 4.0 / 2.5
SDURO Cross Gent 5.0

Ladies 6.0 / 5.0 / 4.0 / 2.5
SDURO Cross 5.0

SDURO

CROSS / TREKKING

		S	M	L	XL	XXL	XS	S	M	L	XL
Seattube Length [mm]	A	480	520	560	600	640	400	440	480	520	560
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	130	150	170	190	210	130	150	170	190	210
Headtube Angle [°]	F	70	70	70	70	70	70	70	70	70	70
Toptube length [mm]	G	560	580	600	620	640	540	560	580	600	620
Chainstay length [mm]	H	470	470	470	470	470	470	470	470	470	470
BB Drop [mm]	I	-60	-60	-60	-60	-60	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1085	1106	1127	1148	1169	1065	1086	1107	1128	1149
Stack [mm]	K	609	628	647	666	685	609	628	647	666	685
Reach [mm]	L	374	388	402	416	431	354	368	382	396	411

SDURO Trekking Gent 2.0 SDURO Trekking Ladies 2.0

Technische Ausstattungsänderungen und Irrtümer vorbehalten.
Subject to errors and changes in technical specification.

ELECMOVE
bicicletas eléctricas · electric bikes

SDURO

CROSS / TREKKING

		S	M	L	XL	XXL
Seattube Length [mm]	A	480	520	560	600	640
Seattube Angle [°]	B	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73
Headtube Length [mm]	E	140	150	170	190	210
Headtube Angle [°]	F	70	70	70	70	70
Toptube length [mm]	G	580	595	610	625	640
Chainstay length [mm]	H	470	470	470	470	470
BB Drop [mm]	I	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1085	1106	1127	1148	1169
Stack [mm]	K	609	628	647	666	685
Reach [mm]	L	390	402	411	420	430

Trekking Gent 3.0 / 1.0

XS	S	M	L	XL
400	440	480	520	560
73	73	73	73	73
0	0	0	0	0
73	73	73	73	73
130	150	170	190	210
70	70	70	70	70
540	560	580	600	620
470	470	470	470	470
-60	-60	-60	-60	-60
1065	1086	1107	1128	1149
609	628	647	666	685
354	368	382	396	411

Trekking 3.0 / 1.0

SDURO

TREKKING S

		S	M	L	XL	XXL
Seattube Length [mm]	A	480	520	560	600	640
Seattube Angle [°]	B	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73
Headtube Length [mm]	E	140	150	160	170	180
Headtube Angle [°]	F	68	68	68	68	68
Toptube length [mm]	G	580	595	610	625	640
Chainstay length [mm]	H	460	460	460	460	460
BB Drop [mm]	I	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1122	1138	1154	1170	1186
Stack [mm]	K	638	647	656	666	675
Reach [mm]	L	385	397	409	421	434

SDURO Trekking S Gent 9.0

S	M	L	XL
440	480	520	560
73	73	73	73
0	0	0	0
73	73	73	73
150	160	170	180
68	68	68	68
580	595	610	625
460	460	460	460
-60	-60	-60	-60
1123	1139	1155	1171
647	656	666	675
382	394	406	419

SDURO Trekking S Lady 9.0

SDURO

TREKKING S

		XS	S	M	L	XL
Seattube Length [mm]	A	480	520	560	600	640
Seattube Angle [°]	B	73	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0	0
Seat Angle [°]	D	73	73	73	73	73
Headtube Length [mm]	E	150	150	150	150	150
Headtube Angle [°]	F	70	70	70	70	70
Toptube length [mm]	G	585	600	615	630	645
Chainstay length [mm]	H	469	469	469	469	469
BB Drop [mm]	I	-60	-60	-60	-60	-60
Wheelbase [mm]	J	1110	1125	1140	1155	1170
Stack [mm]	K	631	631	631	631	631
Reach [mm]	L	392	407	422	437	452

SDURO Trekking S Gent 8.0

XS	S	M	L	XL
400	440	480	520	560
73	73	73	73	73
0	0	0	0	0
73	73	73	73	73
150	150	150	150	150
69	69	69	69	69
555	570	585	600	615
469	469	469	469	469
-60	-60	-60	-60	-60
1088	1103	1118	1133	1148
628	628	628	628	628
363	378	393	408	423

SDURO Trekking S Lady 8.0

PERFORMANCE

HARDSEVEN / HARDLIFE

		XS	S	M	L
Seattube Length [mm]	A	350	400	450	500
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	100	110	120	130
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	545	570	590	615
Chainstay length [mm]	H	425	425	425	425
BB Drop [mm]	I	-45	-45	-45	-45
Wheelbase [mm]	J	1041	1067	1088	1114
Stack [mm]	K	590	600	609	619
Reach [mm]	L	370	392	410	432

SEET HardSeven 4.0 / 3.0 / 3.5 Street / 2.5 Street / 2.0

		XS	S	M	L
Seattube Length [mm]	A	350	400	450	500
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	100	110	120	130
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	545	570	590	615
Chainstay length [mm]	H	425	425	425	425
BB Drop [mm]	I	-45	-45	-45	-45
Wheelbase [mm]	J	1041	1067	1088	1114
Stack [mm]	K	590	600	609	619
Reach [mm]	L	370	392	410	432

SEET HardSeven Life 4.0 / 3.0 / 2.0

		XS	S	M	L
Seattube Length [mm]	A	350	400	450	500
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	100	110	120	130
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	545	570	590	615
Chainstay length [mm]	H	425	425	425	425
BB Drop [mm]	I	-45	-45	-45	-45
Wheelbase [mm]	J	1039	1065	1086	1112
Stack [mm]	K	563	573	582	592
Reach [mm]	L	378	400	417	440

SEET HardSeven 1.5 Street

HARDNINE

		S	M	L	XL
Seattube Length [mm]	A	400	450	500	550
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	105	115	125	140
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	575	595	610	625
Chainstay length [mm]	H	440	440	440	440
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1080	1101	1116	1132
Stack [mm]	K	622	632	641	655
Reach [mm]	L	391	408	420	431

SEET HardNine 6.0 / 5.0 / 4.0 / 3.0 / 2.0

		S	M	L	XL
Seattube Length [mm]	A	400	450	500	550
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	105	115	125	140
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	575	595	610	625
Chainstay length [mm]	H	440	440	440	440
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1086	1107	1122	1138
Stack [mm]	K	619	629	638	652
Reach [mm]	L	397	415	427	438

SEET HardNine 3.5 Street 2.5 Street

		S	M	L	XL
Seattube Length [mm]	A	400	450	500	550
Seattube Angle [°]	B	74	74	74	74
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	74	74	74	74
Headtube Length [mm]	E	105	115	125	140
Headtube Angle [°]	F	70	70	70	70
Toptube length [mm]	G	576	595	610	625
Chainstay length [mm]	H	450	450	450	450
BB Drop [mm]	I	-60	-60	-60	-60
Wheelbase [mm]	J	1090	1109	1125	1141
Stack [mm]	K	602	611	620	634
Reach [mm]	L	398	414	426	437

SEET HardNine 1.5 Street

KIDS

		UNI	UNI	UNI	UNI
Seattube Length [mm]	A	300	300	260	210
Seattube Angle [°]	B	73	73	73	73
Seattube Offset [mm]	C	0	0	0	0
Seat Angle [°]	D	73	73	73	73
Headtube Length [mm]	E	100	100	100	100
Headtube Angle [°]	F	69	69	70	70
Toptube length [mm]	G	500	500	430	360
Chainstay length [mm]	H	400	400	380	300
BB Drop [mm]	I	-30	0	0	0
Wheelbase [mm]	J	990	988	882	719
Stack [mm]	K	465	442	405	340
Reach [mm]	L	358	365	306	256

SEET HardFour / Life 2.0 1.0

SEET GREEDY / Life 20/20 SF 16

Technische Ausstattungsänderungen und Irrtümer vorbehalten.
Subject to errors and changes in technical specification.

ELECMOVE
bicicletas eléctricas · electric bikes

Alle Angaben über Lieferumfang, technische Daten und Leistungen entsprechen den zum Zeitpunkt der Drucklegung vorhandenen Kenntnissen. Keine Gewähr für Druckfehler. Farbabweichungen und Änderungen vorbehalten. Alle Gewichtsangaben sind unverbindliche Richtwerte, beziehen sich auf die kleinste Rahmenhöhe und wurden ohne Pedale ermittelt. Alle Preise sind unverbindliche Preisempfehlungen in Euro inklusive der gesetzlichen MwSt.
Haibike ist ein eingetragener Markenname der Winora-Staiger GmbH.

All details concerning scope of delivery, technical data and services correspond to the information available at the time of printing. No liability for printing errors. Subject to changes and colour deviations. All weight specifications are independent guide values, refer to the smallest frame height and were determined without pedals. All prices are recommended retail prices in Euro incl. VAT.
Haibike is a registered brand name of Winora-Staiger GmbH.

© Winora-Staiger GmbH, Sennfeld, Deutschland 2019

ELECMOVE
bicicletas eléctricas · electric bikes

THE PREMIER CYCLE GROUP
ACCELL GROUP

WINORA GROUP
Winora-Staiger GmbH
E. Wiener Bike Parts GmbH

Max-Planck-Straße 4-8 › 97526 Sennfeld › Germany
+49 9721 6501-0 › info@winora-group.de › winora-group.com