EGGMOVE
bicicletas eléctricas · electric bikes

WINORA

AVEC CHAQUE FAMILLE DEPUIS PLUS DE 100 ANS.

EN TODAS LAS FAMILIAS DESDE HACE MÁS DE 100 AÑOS.



DEALERBOOK

2021 | FR / ES

BOSCH

Moteurs et Écrans / Motores y pantallas

NOUVEAU
NUEVA

PURION

Se concentrer sur l'essentiel : toutes les informations importantes à portée de clic.

Centrarse en lo esencial: toda la información importante con un clic.

- Aide à la marche Asistencia al caminar
- Vitesse Velocidad
- Capacité de la batterie Capacidad de la batería
- Nombre total de kilomètres Kilómetros totales
- 4 modes d'assistance 4 Modos de asistencia
- Nombre total de kilomètres Kilómetros diarios
- Portée Autonomía
- Affichage rétroéclairé Pantalla iluminada
- Aide à la marche Asistente al caminar

INTUVIA

Facile d'utilisation : avec Intuvia, contrôlez le vélo électrique de manière intuitive.

Fácil de usar: con Intuvia, la e-bike se puede controlar de forma intuitiva.

+

- Vitesse moyenne Velocidad media
- Vitesse maximale Velocidad máxima
- Durée quotidienne d'utilisation Tiempo de recorrido diario
- Heure Tiempo
- Port USB USB port

NYON

Le compagnon intelligent : offre tout ce qu'on peut rêver d'un vélo électrique.

Compañera inteligente: ofrece todo lo que un ebiker podría desear.

+

- 5 modes d'assistance 5 Modos de asistencia
- Recommandation de changement de vitesse Recomendación de cambio
- Indicateur de charge de la batterie Indicador de nivel de la batería
- Navigation Navegación
- Fitness Estado de forma
- Cadence Cadencia
- Nombre de calories brûlées Consumo de calorías
- Modifiez les modes de déplacement individuellement avec fonction Premium supplémentaire
- Modifica los modos de conducción individualmente con una función premium adicional
- Interface utilisateur personnalisée Interfaz de usuario personalizada
- Bluetooth®
- Compas Brújula

Pour des sorties dynamiques.
Para rutas dinámicas.

Pour des sorties décontractées.
Para rutas relajadas.

PERFORMANCE LINE CX

Plus de plaisir sur le terrain et dans les montées.

Más diversión llaneando y en ascensos.

› 2.9 kg
› 250 Watt 250W
› jusqu'à 85 Nm hasta 85Nm
› Vitesse d'assistance maximale 25km/h
Velocidad máx. de asistencia 25km/h

PERFORMANCE LINE

Suffisamment puissant pour rouler en ville, sur les routes vallonnées et pour attaquer des côtes.

Suficiente potencia para la ciudad, en terrenos montañosos y en ascensos.

› 3.2 kg
› 250 Watt 250W
› jusqu'à 65 Nm hasta 65Nm
› Vitesse d'assistance maximale 25 km/h
Velocidad máx. de asistencia 25km/h

ACTIVE LINE PLUS

Assistance optimisée pour une sortie ou une randonnée même en dehors de la ville.

Asistencia óptimamente dosificada para un viaje o rutas fuera de los límites de la ciudad.

› 3.2 kg
› 250 Watt 250W
› jusqu'à 50 Nm hasta 50Nm
› Vitesse d'assistance maximale 25 km/h
Velocidad máx. de asistencia 25km/h

ACTIVE LINE

Puissance modérée pour des trajets quotidiens et sur de courtes distances.

Potencia dosificada moderadamente para una vida diaria relajada y rutas más pequeñas.

› 2.9 kg
› 250 Watt 250W
› jusqu'à 40 Nm hasta 40Nm
› Vitesse d'assistance maximale 25 km/h
Velocidad máx. de asistencia 25 km/h

VÉLOS ÉLECTRIQUES AVEC SYSTÈME BOSCH
E-BIKES CON BOSCH

Sinus

PERFORMANCE LINE CX

Sinus iX12 P. 18

Sinus iX10 P. 21

PERFORMANCE LINE

NOUVEAU Sinus R380 auto P. 25

NOUVEAU Sinus 9 P. 39

NOUVEAU Sinus N5/f P. 42

ACTIVE LINE PLUS

NOUVEAU Sinus R8/f P. 26

NOUVEAU Sinus iR8/f P 32

NOUVEAU Sinus iN8/f P. 44

ACTIVE LINE

NOUVEAU Sinus iN7/f P. 47

Tria

PERFORMANCE LINE

Tria 10 P. 52

ACTIVE LINE PLUS

Tria 9 P. 55

Tria 8 P. 58

Tria N8/f P. 59

Tria N7/f P. 61

ACTIVE LINE

Tria N7 eco P. 63

YAMAHA

Moteurs et Écrans / Motores y pantallas

SIDE SWITCH

Conçue pour de nombreuses applications : simple et facile d'utilisation. Bonne lisibilité même dans des conditions (météo) difficiles.

Diseñado para muchas aplicaciones: Sencillo y fácil de usar. Buena legibilidad en condiciones (climáticas) difíciles.

- 4 Modes d'assistance 4 Modos de asistencia
- Aide à la marche Asistencia al caminar
- Vitesse Velocidad
- Capacité de la batterie Capacidad de la batería
- Mode d'assistance Modo de asistencia
- Nombre total de kilomètres Cuentakilómetros
- Compteur de trajets Cuentakilómetros parcial
- Portée Autonomía
- Affichage rétroéclairé Pantalla iluminada

+

MULTI SWITCH

Un plaisir inégalé Le grand écran couleur donne accès, en un clin d'œil à tous les données importantes.

La diversión del ciclismo llevada a un nuevo nivel. La amplia pantalla en color proporciona todos los datos decisivos de un vistazo.

- 4+ Modes d'assistance 4+ Modos de asistencia
- Vitesse moyenne Velocidad media
- Vitesse maximale Velocidad máxima
- Indicateur de puissance de l'assistance Medidor de potencia de asistencia
- Capacité de la batterie (%) Capacidad de la batería
- Heure Tiempo
- Fitness › Estado de forma
- Cadence Cadencia
- Nombre de calories brûlées Consumo de calorías
- Navigation : Tour à tour Navegación: Giro a giro
- Bluetooth®
- Compas Brújula

La bonne assistance pour tous.

La asistencia adecuada para todos.

PW-X2

Moteur silencieux mais puissant, pour les sorties exigeantes.

Motor silencioso pero potente para rutas desafiantes.

› 3.1 kg
› 250 Watt 250 W
› jusqu'à 80 Nm hasta 80Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

PW-ST

Souple et puissante pour des trajets quotidiens en ville ou de jolies randonnées.

Suave y potente para la vida diario en la ciudad o rutas emocionantes.

› 3.5 kg / 3.4 kg
› 250 Watt 250W
› jusqu'à 70 Nm hasta 70Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

PW-TE

Le moteur idéal en ville, offrant confort et stabilité de pilotage.

Con comodidad y estabilidad de conducción, el motor perfecto en la ciudad.

› 3.4 kg
› 250 Watt 250W
› jusqu'à 60 Nm hasta 60Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

VÉLOS ÉLECTRIQUES AVEC SYSTÈME YAMAHA

E-BIKES CON YAMAHA

Yakun Tour

PW-X2

Yakun Tour P. 66

Yucatan

PW-ST

NOUVEAU Yucatan 12 Pro P. 70

NOUVEAU Yucatan 12 P. 73

NOUVEAU Yucatan 10 P. 76

NOUVEAU Yucatan 9 P. 79

PW-TE

NOUVEAU Yucatan 8 P. 82

NOUVEAU Yucatan R8f P. 85

Radius

PW-ST

NOUVEAU Radius Tour P. 89

SINUS

L'avenir s'écrit avec un « e »

L'avenir s'écrit avec un « e ». Selon l'Agence fédérale allemande pour l'environnement*, 82 % des émissions de CO2 sont actuellement causées par notre mobilité quotidienne. Quand une voiture émet 472 kg de CO2 lorsqu'elle parcourt un peu moins de dix kilomètres en environnement urbain, les vélos électriques n'en émettent que 13 kg. Donc, surtout en ville, tout plaide en faveur du passage au vélo. Prenons l'exemple de nos nouveaux modèles SINUS. Avec leur batterie Intube intégrée, les vélos SINUS sont non seulement bons pour l'environnement et extrêmement confortables, mais ils sont aussi très esthétiques.

Añádele una "e" al futuro

Añádele una "e" al futuro. Según la Agencia Federal Alemana del Medio Ambiente, el 82 por ciento de las emisiones de CO2 son causadas actualmente por nuestra movilidad diaria. Mientras un coche emite 472 kg de CO2 cuando viaja poco menos de diez kilómetros en un entorno urbano, la cifra para las e-bikes es de solo 13 kg. Así que, especialmente en la ciudad, todo habla a favor de cambiar a la bicicleta. Por ejemplo, nuestros nuevos modelos SINUS con baterías Intube integradas, que garantizan que las e-bikes SINUS, no solo son buenos para el medio ambiente y extremaWomente cómodas, sino también resultan atractivas por su diseño.*

* www.mein-klimaschutz.de

ELECTROVE
bicicletas eléctricas electric bikes

SINUS

Sinus iX12 Men

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | *CHF 3.999,-* | *PLN 15.899,-* | *CZK 94.499,-* | *HRK 26.799,-*

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	4442001048	metallic sand matte
27.5"	52	4442001052	metallic sand matte
27.5"	56	4442001056	metallic sand matte
27.5"	60	4442001060	metallic sand matte

Sinus iX12 Women

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | *CHF 3.999,-* | *PLN 15.899,-* | *CZK 94.499,-* | *HRK 26.799,-*

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	4442011044	metallic sand matte
27.5"	48	4442011048	metallic sand matte
27.5"	52	4442011052	metallic sand matte

ELECTROVE
bicicletas eléctricas · electric bikes

SINUS

Sinus iX12 Monotube

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | *CHF 3.999,-* | *PLN 15.899,-* | *CZK 94.499,-* | *HRK 26.799,-*

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	4442021046	metallic sand matte
27.5"	50	4442021050	metallic sand matte
27.5"	54	4442021054	metallic sand matte

SINUS

Sinus iX10 Men

FOCUS E-BIKE DESIGN & INNOVATION AWARD 2020
PLATZ 1
KATEGORIE: TREKKING
Winora Sinus iX10
28 E-Bikes in der Kategorie Trekking
FOCUS E-BIKE Magazin 01-2020

concrete

SPECIFICATIONS

EUR 2.999,- | *CHF 3.299,-* | *PLN 13.699,-* | *CZK 80.999,-* | *HRK 22.999,-*

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	4441001048	concrete
27.5"	52	4441001052	concrete
27.5"	56	4441001056	concrete
27.5"	60	4441001060	concrete

TECMOVE
bicicletas eléctricas electric bikes

SINUS

Sinus iX10 Women

concrete

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	4441011044	concrete
27.5"	48	4441011048	concrete
27.5"	52	4441011052	concrete

SINUS

Sinus iX10 Monotube

concrete

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	4441021046	concrete
27.5"	50	4441021050	concrete
27.5"	54	4441021054	concrete

ECOMOVE
bicicletas eléctricas · electric bikes

WINORA

FOCUS E-BIKE
DESIGN & INNOVATION AWARD 2020

PLATZ 1
KATEGORIE: TREKKING

Winora
Sinus iX10

28 E-Bikes in der Kategorie Trekking

FOCUS E-BIKE Magazin 01-2020

Nuestra mejor e-bike de trekking *

Notre meilleur vélo électrique Trekking.*

Let's move.

MRS!
500 + 500 Wh =
1000 Wh
capacité max
capacidad máxima

BOSCH GEN 4!

SINUS IX10

GEN 4!

* Il a été élu meilleur vélo électrique Trekking d'après un sondage lecteur Focus Design & Innovation Award 2020
La mejor e-bike de trekking de acuerdo con la encuesta de lectores de Focus Design & Innovation Award 2020

SINUS

Sinus R380 auto Monotube

pinegreen matt

SPECIFICATIONS

EUR 4.599,- | CHF 4.999,- | PLN 20.799,- | CZK 124.299,- | HRK 34.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Nyon
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX EB-DLO-CTS, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Enviolo TR /
Shift lever	Enviolo automatic, wireless, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano XT M8100, aluminium, 180mm
Brake rear	Shimano XT M8100, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Enviolo TR
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44060146	pinegreen matt
27.5"	50	44060150	pinegreen matt
27.5"	54	44060154	pinegreen matt

ELECTROVE
bicicletas eléctricas · electric bikes

SINUS

Sinus R8 Men

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44054148	shadowgreen
27.5"	52	44054152	shadowgreen
27.5"	56	44054156	shadowgreen
27.5"	60	44054160	shadowgreen

SINUS

Sinus R8f Men

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44044148	shadowgreen
27.5"	52	44044152	shadowgreen
27.5"	56	44044156	shadowgreen
27.5"	60	44044160	shadowgreen

ELECTROVE
bicicletas eléctricas / electric bikes

SINUS

Sinus R8 Women

shadowgreen

SPECIFICATIONS

EUR 3.399,- | *CHF 3.799,-* | *PLN 15.399,-* | *CZK 91.999,-* | *HRK 25.899,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44056144	shadowgreen
27.5"	48	44056148	shadowgreen
27.5"	52	44056152	shadowgreen

SINUS

Sinus R8f Women

shadowgreen

SPECIFICATIONS

EUR 3.399,- | *CHF 3.799,-* | *PLN 15.399,-* | *CZK 91.999,-* | *HRK 25.899,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44048144	shadowgreen
27.5"	48	44048148	shadowgreen
27.5"	52	44048152	shadowgreen

ELECTROVE
bicicletas eléctricas · electric bikes

SINUS

Sinus R8 Monotube

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44058146	shadowgreen
27.5"	50	44058150	shadowgreen
27.5"	54	44058154	shadowgreen

SINUS

Sinus R8f Monotube

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44050146	shadowgreen
27.5"	50	44050150	shadowgreen
27.5"	54	44050154	shadowgreen

SINUS

Sinus iR8 Men

onyx black

SPECIFICATIONS

EUR 2.999,- | *CHF 3.299,-* | *PLN 13.699,-* | *CZK 80.999,-* | *HRK 22.999,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4437008948	onyx black
28"	52	4437008952	onyx black
28"	56	4437008956	onyx black
28"	60	4437008960	onyx black

SINUS

Sinus iR8f Men

onyx black

SPECIFICATIONS

EUR 2.999,- | *CHF 3.299,-* | *PLN 13.699,-* | *CZK 80.999,-* | *HRK 22.999,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4438008948	onyx black
28"	52	4438008952	onyx black
28"	56	4438008956	onyx black
28"	60	4438008960	onyx black

SINUS

Sinus iR8 Women

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4437108944	onyx black
28"	48	4437108948	onyx black
28"	52	4437108952	onyx black

SINUS

Sinus iR8f Women

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4438108944	onyx black
28"	48	4438108948	onyx black
28"	52	4438108952	onyx black

SINUS

Sinus iR8 Monotube

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

modern blue matt

ORDER NUMBER

28"	46	4437508946	onyx black
28"	50	4437508950	onyx black
28"	54	4437508954	onyx black
28"	46	4437908946	modern blue matt
28"	50	4437908950	modern blue matt
28"	54	4437908954	modern blue matt

SINUS

Sinus iR8f Monotube

modern blue matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

onyx black

ORDER NUMBER

28"	46	4438908946	modern blue matt
28"	50	4438908950	modern blue matt
28"	54	4438908954	modern blue matt
28"	46	4438508946	onyx black
28"	50	4438508950	onyx black
28"	54	4438508954	onyx black

German Design Award

Sinus i-Serie

« L'intégration de la batterie et du moteur au cadre témoigne du haut niveau de conception. Un design élégant, dynamique et moderne, complété par des détails astucieux »

"La integración de la batería y el motor en el cuadro es una prueba de un alto nivel de diseño. Un diseño elegante con aspecto dinámico y moderno, rematado con detalles ingeniosamente diseñados"

(Jury German Design Award 2019)

SINUS

Sinus 9 Men

darkslategrey matt

SPECIFICATIONS

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44088148	darkslategrey matt
27.5"	52	44088152	darkslategrey matt
27.5"	56	44088156	darkslategrey matt
27.5"	60	44088160	darkslategrey matt

ELECTROVE
bicicletas eléctricas electric bikes

SINUS

Sinus 9 Women

darkslategrey matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44090144	darkslategrey matt
27.5"	48	44090148	darkslategrey matt
27.5"	52	44090152	darkslategrey matt

SINUS

Sinus 9 Monotube

darkslategrey matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

COLOR VARIANT

linenwhite

ORDER NUMBER

27.5"	46	44092146	darkslategrey matt
27.5"	50	44092150	darkslategrey matt
27.5"	54	44092154	darkslategrey matt
27.5"	46	44094146	linenwhite
27.5"	50	44094150	linenwhite
27.5"	54	44094154	linenwhite

ELECTROVE
bicicletas eléctricas · electric bikes

SINUS

Sinus N5 Monotube

maroonred matt

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 5-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Shimano pinion, 27 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44072146	maroonred matt
27.5"	50	44072150	maroonred matt
27.5"	54	44072154	maroonred matt

SINUS

Sinus N5f Monotube

maroonred matt

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 5-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Shimano pinion, 27 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44070146	maroonred matt
27.5"	50	44070150	maroonred matt
27.5"	54	44070154	maroonred matt

ELECTROVE
bicicletas eléctricas electric bikes

SINUS

Sinus iN8 Monotube

moon grey

SPECIFICATIONS

EUR 2.799,- | CHF 3.299,- | PLN 12.699,- | CZK 75.999,- | HRK 21.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	26.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28“ | StVZO

COLOR VARIANT

white

ORDER NUMBER

26"	46	4435008946	moon grey
28"	46	4435208946	moon grey
28"	50	4435208950	moon grey
28"	54	4435208954	moon grey
26"	46	4435408946	white
28"	46	4435608946	white
28"	50	4435608950	white
28"	54	4435608954	white

Sinus iN8f Monotube

moon grey

SPECIFICATIONS

EUR 2.799,- | CHF 3.299,- | PLN 12.699,- | CZK 75.999,- | HRK 21.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	26.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28” | StVZO

COLOR VARIANT

white

ORDER NUMBER

28"	46	4436208946	moon grey
28"	50	4436208950	moon grey
28"	54	4436208954	moon grey
28"	46	4436508946	white
28"	50	4436508950	white
28"	54	4436508954	white

ELECMOVE
bicicletas eléctricas · electric bikes

WINORA

FOCUS E-BIKE DESIGN & INNOVATION AWARD 2020
PLATZ 1
KATEGORIE: CITY
Winora
Sinus iN8
20 E-Bikes in der Kategorie City
FOCUS E-BIKE Magazin 01-2020

Nuestra mejor e-bike de ciudad *

Notre meilleur vélo électrique de ville.*

Let's move.

SINUS IN8

* Il a été élu meilleur vélo électrique de ville d'après un sondage lecteur Focus Design & Innovation Award 2020
La mejor e-bike de ciudad de acuerdo con la encuesta de lectores de Focus Design & Innovation Award 2020

SINUS

Sinus iN7 Monotube

black matt

2 UNISEX

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.999,-

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28" | StVZO

ORDER NUMBER

26"	46	4433007946	black matt
28"	46	4433207946	black matt
28"	50	4433207950	black matt
28"	54	4433207954	black matt

SINUS

Sinus iN7f Monotube

black matt

SPECIFICATIONS

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

EUR 2.599,- | *CHF 2.899,-* | *PLN 11.799,-* | *CZK 70.199,-* | *HRK 19.999,-*

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	46	4434207946	black matt
28"	50	4434207950	black matt
28"	54	4434207954	black matt

ELECMOVE bicicletas eléctricas electric bikes

TRIA

Veuillez-vous asseoir

Veuillez-vous asseoir. L'empreinte CO2 des vélos électriques doit également tenir compte des émissions qui se produisent lors de lea production et l'élimination de la batterie. La bonne nouvelle est qu'elles sont déjà moindre après avoir parcouru une centaine de kilomètres en vélo électrique au lieu d'une voiture*. Et si le vélo est aussi confortable et pratique que nos modèles SINUS TRIA avec un cadre bas, une position assise droite et un frein à rétropédalage, même le vent de face et les montées ne sont plus un problème.

Toma asiento

Toma asiento. La huella de CO2 de las e-bikes también debe tener en cuenta las emisiones que se producen durante la producción y eliminación de la batería. La buena noticia es que ya están descargadas después de recorrer unos 100 kilómetros con la bicicleta eléctrica, a diferencia de un coche. Y, si la bicicleta es tan cómoda como nuestros modelos SINUS TRIA con barra en posición baja, posición de sillín vertical y freno de contrapedal, ni el viento de frente ni las subidas suponen ningún problema.*

* www.mein-klimaschutz.de

ELECMOVE
bicicletas eléctricas · electric bikes

TRIA

Tria 10 Men

graphite

SPECIFICATIONS

EUR 2.699,- | CHF 2.999,- | PLN 12.199,- | CZK 72.899,- | HRK 20.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4428010048	graphite
28"	52	4428010052	graphite
28"	56	4428010056	graphite
28"	60	4428010060	graphite

TRIA

Tria 10 Women

graphite

SPECIFICATIONS

EUR 2.699,- | CHF 2.999,- | PLN 12.199,- | CZK 72.899,- | HRK 20.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4428110044	graphite
28"	48	4428110048	graphite
28"	52	4428110052	graphite
28"	56	4428110056	graphite

ELECMOVE
bicicletas eléctricas · electric bikes

TRIA

Tria 10 Monotube

graphite

2 UNTERDR.

SPECIFICATIONS

EUR 2.699,- | *CHF 2.999,-* | *PLN 12.199,-* | *CZK 72.899,-* | *HRK 20.999,-*

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	46	4428710046	graphite
28"	50	4428710050	graphite
28"	54	4428710054	graphite

TRIA

Tria 9 Men

black matt

2 UNTERDR.

SPECIFICATIONS

EUR 2.499,- | *CHF 2.799,-* | *PLN 11.299,-* | *CZK 67.499,-* | *HRK 19.199,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4424009948	black matt
28"	52	4424009952	black matt
28"	56	4424009956	black matt
28"	60	4424009960	black matt

ELECTROVE
bicicletas eléctricas · electric bikes

TRIA

Tria 9 Women

glaze red

SPECIFICATIONS

EUR 2.499,- | CHF 2.799,- | PLN 11.299,- | CZK 67.499,- | HRK 19.199,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

28"	44	4425109944	glaze red
28"	48	4425109948	glaze red
28"	52	4425109952	glaze red
28"	44	4424109944	black matt
28"	48	4424109948	black matt
28"	52	4424109952	black matt

TRIA

Tria 9 Monotube

28" 26"

glaze red

SPECIFICATIONS

EUR 2.499,- | CHF 2.799,- | PLN 11.299,- | CZK 67.499,- | HRK 19.199,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

26"	46	4425309946	glaze red
28"	46	4425509946	glaze red
28"	50	4425509950	glaze red
28"	54	4425509954	glaze red
26"	46	4424309946	black matt
28"	46	4424509946	black matt
28"	50	4424509950	black matt
28"	54	4424509954	black matt

ELECTROVE
bicicletas eléctricas · electric bikes

TRIA

Tria 8 Monotube

28" 26"

dullgray matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera M360, 8-speed
Shift lever	Shimano Altus M310, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Bassano Volare City XL
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

sandstone

ORDER NUMBER

26"	46	4422308946	dullgray matt
28"	46	4422508946	dullgray matt
28"	50	4422508950	dullgray matt
28"	54	4422508954	dullgray matt
26"	46	4423308946	sandstone
28"	46	4423508946	sandstone
28"	50	4423508950	sandstone
28"	54	4423508954	sandstone

TRIA

Tria N8 Monotube

28" 26"

oliv

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	25.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

26"	46	4417408046	oliv
28"	46	4417508046	oliv
28"	50	4417508050	oliv
28"	54	4417508054	oliv
26"	46	4417108846	black matt
28"	46	4417308846	black matt
28"	50	4417308850	black matt
28"	54	4417308854	black matt

ELECTROVE
bicicletas eléctricas · electric bikes

TRIA

Tria N8f Monotube

oliv

SPECIFICATIONS

EUR 2.599,- | *CHF 2.899,-* | *PLN 11.799,-* | *CZK 70.199,-* | *HRK 19.899,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

28"	46	4418508046	oliv
28"	50	4418508050	oliv
28"	54	4418508054	oliv
28"	46	4418108846	black matt
28"	46	4418308846	black matt
28"	50	4418308850	black matt
28"	54	4418308854	black matt

TRIA

Tria N7 Monotube

28" 26"

midnight blue

SPECIFICATIONS

EUR 2.399,- | *CHF 2.699,-* | *PLN 10.999,-* | *CZK 64.799,-* | *HRK 18.399,-*

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	24.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

white

ORDER NUMBER

26"	46	4412107046	midnight blue
28"	46	4412307046	midnight blue
28"	50	4412307050	midnight blue
28"	54	4412307054	midnight blue
26"	46	4412707846	white
28"	46	4412907846	white
28"	50	4412907850	white
28"	54	4412907854	white

ELECTROVE
bicicletas eléctricas electric bikes

TRIA

Tria N7f Monotube

midnight blue

SPECIFICATIONS

EUR 2.399,- | CHF 2.699,- | PLN 10.999,- | CZK 64.799,- | HRK 18.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	24.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 28" | StVZO

COLOR VARIANT

white

ORDER NUMBER

28"	46	4414307046	midnight blue
28"	50	4414307050	midnight blue
28"	54	4414307054	midnight blue
28"	46	4414907046	white
28"	50	4414907050	white
28"	54	4414907054	white

TRIA

Tria N7 eco Monotube

28" 26"

burgundy red matte

SPECIFICATIONS

EUR 2.199,- | CHF 2.399,- | PLN 9.999,- | CZK 59.499,- | HRK 16.799,-

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	24.4kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

onyx black

ORDER NUMBER

26"	46	4410707046	burgundy red matte
28"	46	4410907046	burgundy red matte
28"	50	4410907050	burgundy red matte
28"	54	4410907054	burgundy red matte
26"	46	4410107846	onyx black
28"	46	4410307846	onyx black
28"	50	4410307850	onyx black
28"	54	4410307854	onyx black

YAKUN

Prêt pour la ville, la campagne et le bord de la rivière

Prêt pour toutes les catégories Sur des pneus larges de 27,5", pour traverser les champs ou se rendre au travail en un rien de temps : les vélos électriques sont non seulement bons pour l'environnement, mais aussi le moyen de transport le plus rapide, surtout sur de courtes distances allant jusqu'à 10 km. Et le meilleur : pas besoin de chercher une place pour se garer. Les nouveaux modèles Yakun offrent un équilibre optimal entre la maniabilité et les caractéristiques de roulage sur toutes les surfaces. De plus, leur puissant moteur Yamaha déploie toute sa puissance surtout au démarrage et dans les montées.

Lista para la ciudad, el campo y los arroyos

Lista para todas las categorías. Con cubiertas anchas 27,5 pulgadas para XC o para llegar rápiWomente al trabajo: las e-bikes no solo son buenas para el medio ambiente, sino también el medio de transporte más rápido, especialmente en distancias cortas de hasta 10 km. Y lo mejor es que no hay necesidad de buscar una plaza de aparcamiento. Los nuevos modelos Yakun ofrecen un equilibrio óptimo de maniobrabilidad y características de rodadura para cada terreno. Y su potente motor Yamaha despliega su fuerza especialmente al arrancar y subiendo.



YAKUN

Yakun tour Unisex

150 kg
*Poids total autorisé
*Peso total permitido

gunmetal /black

SPECIFICATIONS

EUR 3.499,- | *CHF 3.999,-* | *PLN 15.899,-* | *CZK 94.499,-* | *HRK 26.999,-*

500Wh | YAMAHA | 27,5" | StVZO | 150kg*

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha Lithium Ion 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Gravity Casting, hydroformed, thru-axle M12 (1.75) x 142mm
Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT T8000, 20-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Magura MT4
Brake front	Magura MT4, 180mm
Brake rear	Magura MT4, 180mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Rodi Black Rock 23, double-walled rim, aluminium
Front wheel hub	alu disc, thru-axle 15x100
Rear wheel hub	aluminium disc, thru-axle 12x142
Spokes	Stainless spokes, black
Handlebar	Ergoriser, oversize 720mm
Grips	retro stitched
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Winora Yukon, embossed
Seat post	by.schulz G.2, patent suspension, 31.6mm
Pedals	VP 469, non-slip
Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rear light	P&W LED mini
Dynamo	via system battery
Carrier	Winora, XLC Carrymore
Fenders	double wall, aluminium
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170090
Weight	24.1kg
Permitted total weight	150kg
Bicycle type	City, Trekking, Cross

ORDER NUMBER

27.5"	43	4532020043	gunmetal /black
27.5"	48	4532020048	gunmetal /black
27.5"	53	4532020053	gunmetal /black
27.5"	58	4532020058	gunmetal /black

WINORA

Yakun Tour: nuestra ganadora de premios

Yakun Tour, notre vélo primé

PLUS X AWARD
2020 | Ausgezeichnet für:
Innovation
High Quality
Design
Bedienkomfort
www.plusxaward.de

2020
PLUS X AWARD
Haute qualité, design, facile à utilise et fonctionnel

2020
PLUS X AWARD
Alta calidad, diseño, facilidad de uso y funcionalidad

TESTSIEGER 2018 Elektrobike

2018 e-Elektrobike:
Conseil d'achat et gagnant du test Résultat du test : Excellent

2018 e-Elektrobike:
Consejo de compra y ganadora de la prueba Radet: excelente

Mit Empfehlung Elektro Rad Dauertest bestanden 2018

Test d'endurance 2018 ElektroRad :
Recommandation claire

2018 Prueba de resistencia ElektroRad:
recomendación clara

Elektro Rad SEHR GUT 1/2018

2018 ElektroRad Test:
Test : « Excellent » avec une note globale de 1,5

2018 Prueba de ElektroRad:
Prueba: "Excelente" con una nota general de 1,5

YUCATAN

L'appel des montagnes

Les montagnes nous font signe. Partout dans le monde, les gens se déplacent de la campagne à la ville. Pour la première fois dans l'histoire, plus de la moitié de la population mondiale vit désormais en ville. L'espace devient limité, les espaces verts se font rares. Quiconque recherche la nature, les montagnes, les lacs, les bois et les prairies, bref :les grands espaces, doit sortir de la ville. Quitter la ville et plonger dans le plaisir. Les vélos électriques Trekking de la série YUCATAN avec moteur Yamaha et un porte-bagages pour tout ce dont vous avez besoin pour un long voyage sont parfaits pour vous accompagner dans votre virée.

Ahora, te atraerán las montañas

Las montañas te están llamando. En todo el mundo la gente se traslada del campo a la ciudad. Por primera vez en la historia, más de la mitad de la población mundial vive en ciudades. El espacio se está volviendo limitado, la vegetación escasea. Cualquiera que busque lo salvaje, montañas, lagos, bosques y prados, en resumen: los amplios espacios abiertos, debe salir fuera de la ciudad para disfrutar. Las e-bikes de trekking de la serie YUCATAN con motor Yamaha y un portabultos para todo lo que necesita en un largo viaje son perfectos para viajar.

ELECMOVE
bicicletas eléctricas electric bikes

YUCATAN

Yucatan 12 Pro Men

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	48	44121148	black matt
27.5"	52	44121152	black matt
27.5"	56	44121156	black matt
27.5"	60	44121160	black matt

YUCATAN

Yucatan 12 Pro Women

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	44	44122144	black matt
27.5"	48	44122148	black matt
27.5"	52	44122152	black matt

ELECMOVE
bicicletas eléctricas · electric bikes

YUCATAN

Yucatan 12 Pro Monotube

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	46	44123146	black matt
27.5"	50	44123150	black matt
27.5"	54	44123154	black matt

YUCATAN

Yucatan 12 Men

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	48	44098148	winterwhite
27.5"	52	44098152	winterwhite
27.5"	56	44098156	winterwhite
27.5"	60	44098160	winterwhite

ELECMOVE
bicicletas eléctricas electric bikes

YUCATAN

Yucatan 12 Women

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	44	44100144	winterwhite
27.5"	48	44100148	winterwhite
27.5"	52	44100152	winterwhite

YUCATAN

Yucatan 12 Monotube

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	46	44102146	winterwhite
27.5"	50	44102150	winterwhite
27.5"	54	44102154	winterwhite

ELECMOVE
bicicletas eléctricas · electric bikes

YUCATAN

Yucatan 10 Men

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	48	44104148	emerald matt
27.5"	52	44104152	emerald matt
27.5"	56	44104156	emerald matt
27.5"	60	44104160	emerald matt

YUCATAN

Yucatan 10 Women

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	44	44106144	emerald matt
27.5"	48	44106148	emerald matt
27.5"	52	44106152	emerald matt

ELECMOVE
bicicletas eléctricas · electric bikes

YUCATAN

Yucatan 10 Monotube

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	46	44108146	emerald matt
27.5"	50	44108150	emerald matt
27.5"	54	44108154	emerald matt

YUCATAN

Yucatan 9 Men

Elektro Rad KAUFTIPP SEHR GUT 1/2020

black coffee

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	48	44110148	black coffee
28"	52	44110152	black coffee
28"	56	44110156	black coffee
28"	60	44110160	black coffee

Yucatan 9 Women

black coffee

SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

EUR 2.599,- | *CHF 2.899,-* | *PLN 11.799,-* | *CZK 70.199,-* | *HRK 19.899,-*

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	44	44112144	black coffee
28"	48	44112148	black coffee
28"	52	44112152	black coffee

Yucatan 9 Monotube

black coffee

SPECIFICATIONS

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

EUR 2.599,- | *CHF 2.899,-* | *PLN 11.799,-* | *CZK 70.199,-* | *HRK 19.899,-*

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	46	44114146	black coffee
28"	50	44114150	black coffee
28"	54	44114154	black coffee

ELECMOVE
bicicletas eléctricas · electric bikes

Yucatan 8 Men

artichoke matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	48	44116148	artichoke matt
28"	52	44116152	artichoke matt
28"	56	44116156	artichoke matt
28"	60	44116160	artichoke matt

Yucatan 8 Women

artichoke matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	44	44118144	artichoke matt
28"	48	44118148	artichoke matt
28"	52	44118152	artichoke matt

ELECMOVE
bicicletas eléctricas electric bikes

YUCATAN

Yucatan 8 Monotube

artichoke matt

SPECIFICATIONS

EUR 2.299,- | *CHF 2.599,-* | *PLN 10.499,-* | *CZK 62.199,-* | *HRK 17.599,-*

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	46	44120146	artichoke matt
28"	50	44120150	artichoke matt
28"	54	44120154	artichoke matt

YUCATAN

Yucatan R8f Monotube

darkblue

SPECIFICATIONS

EUR 3.199,- | *CHF 3.499,-* | *PLN 14.399,-* | *CZK 86.399,-* | *HRK 24.299,-*

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Multi Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	46	44096146	darkblue
28"	50	44096150	darkblue
28"	54	44096154	darkblue

RADIUS

Des roues de 20 pouces pour rouler dans les grandes villes

20 pouces pour traverser la jungle urbaine. Parmi bien d'autres aspects, le manque d'espace est un effet secondaire de la croissance rapide des villes du monde entier. Et c'est dans ce contexte que les solutions intelligentes portent leurs fruits. Comme le RADIUS Winora avec son puissant moteur Yamaha. Le guidon se replie facilement à 90° et les pédales peuvent être rabattues. Le faible poids et la poignée de transport provenant de la connexion du tube supérieur et du tube de selle facilitent le transport. « Ce vélo est un kart », affirme la presse. Il est petit, agile, ludique, maniable et extrêmement pratique.

Ruedas de 20 pulgadas para el entorno de la gran ciudad

20 pulgadas para la selva urbana. Entre otros muchos aspectos, la falta de espacio es un efecto colateral de las ciudades de rápido crecimiento en todo el mundo. Aquí es donde las soluciones inteligentes muestran sus resultados. Como la Winora RADIUS con su potente motor Yamaha. El manillar puede plegarse fácilmente 90° y los pedales pueden plegarse hacia dentro. El bajo peso y el asa de transporte en la conexión del tubo superior y el tubo del sillín facilitan el transporte. "Esta bicicleta es un kart", dice la prensa. Pequeña, ágil, divertida, extremaWomente práctica.





RADIUS

Radius Tour Unisex

black /slate matt

SPECIFICATIONS

EUR 2.799,- | *CHF 2.999,-* | *PLN 12.899,-* | *CZK 75.599,-* | *HRK 21.499,-*

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha Lithium Ion 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Gravity Casting, hydroformed, Nut type axle, disc brake IS Mount, Travel: 0mm
Fork	Aluminum, steerer CroMo 1 1/8", quick release
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 16 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 160mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Big Ben, 55-406, reflex
Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Front wheel hub	Winora Evo disc, quick release axle, CL
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	aluminium Ergoriser
Grips	XLC Endorfin lock on grips
Stem	by.schulz Speedlifter twist pro
Headset	VP Z104PE
Saddle	Selle Royal Arco
Seat post	450 mm, patent, 31.6mm, aluminium
Pedals	VP F65 Faltpedal
Headlight	Trelock Airflow, 70 lux
Rear light	Busch & Müller Xeltec, LED-rear light in the mudguard
Dynamo	via system battery
Carrier	StandWell system carrier, XLC Carrymore
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 20” | StVZO

ORDER NUMBER

20"	35	4524808035	black /slate matt